

# kershaw®

2022 #3



# kershaw®

## 2022 CATALOG #3

NE  
X  
T  
E  
V  
E  
L

"I always feel comfortable carrying my Kershaw with me. The aesthetic, comfort, color, and the variations, it's without a doubt the best on the market."

**Maycee "The Future" Barber,  
UFC Fighter**





## TABLE OF CONTENTS

NEXT LEVEL	INSIDE FRONT
<b>NEW</b> NEW PRODUCTS	4
MANUFACTURING	8
KERSHAW ORIGINALS	10
<b>NEW</b> AUTOMATIC	12
<b>NEW</b> STARTER	16
<b>NEW</b> EVERYDAY CARRY - ASSISTED	20
<b>NEW</b> EVERYDAY CARRY - MANUAL	38
MULTI-FUNCTION	50
<b>NEW</b> FIXED BLADE	56
<b>NEW</b> OUTDOOR	60
FISHING	62
<b>NEW</b> GEAR	66
BLADE STYLES, FINISHES, STEELS	74
OPENING, LOCKS, HANDLES, POCKETCLIPS	76
KNIFE SIZES	78
INDEX	80
WARRANTY	INSIDE BACK





# kershaw®

## NEW PRODUCT RELEASE

2022  
#3

The third and final round of 2022 Kershaws is here! In Release #3, Kershaw introduces a new USA-made knife. Flip sky high with a sibling to the popular Lucha butterfly knife. The Moonsault's curved handles are dazzling to the eye. And it flips and cuts just as smoothly as the Lucha.

Three exciting everyday carry knives make their debut in Release #3. The first is an out-the-front manual button slider called the Interstellar. This feature-packed OTF features a tanto blade, a partially serrated edge, and a bottle opener.

The Noventa offers another unique opening method. It opens smoothly with KVT ball-bearing action. But this flipper is hidden while the knife is open, keeping the design uninterrupted and clean. Finally, tackle work projects with the high-performance Lucid. Its D2 clip point blade slices through cutting tasks with ease.

---

WATCH FOR MORE RELEASES IN 2023

---

NEW 2022 RELEASE 3

NEW PRODUCTS

**kershaw®**

KERSHAWKNIVES.COM



**LUCID**  
2036 • P.29



**NOVENTA**  
2060 • P.39



**INTERSTELLAR**  
1195 • P.39



**MOONSAULT**  
5050 • P.43



**LAUNCH 14**  
7850 • P.13



**FLATBED**  
1376 • P.17



**SALVAGE**  
1369 • P.17



**JETPACK**  
1401 • P.17



**LITHIUM**  
2049 • P.29



**INCEPTION**  
2031 • P.40



**PARLEY**  
4384 • P.40



**ALLEGORY**  
4385 • P.40



**IREDALE**  
4386 • P.40



**LUCHA - CARBON FIBER**  
5150CF • P.43

**NEW** 2022 RELEASE 1-2



**OUTLIER**  
2064 • P.29



**CARGO**  
2033 • P.39



**DEBRIS**  
2034 • P.39



**FEDERALIST**  
4320 • P.39



**ESTEEM**  
2032 • P.40



**DESCHUTES CAPER**  
1882 • P.57



**DESCHUTES SKINNER**  
1883 • P.57



**ELECTRON**  
1396 • P.59



**INTERVAL**  
1399 • P.59



**LONEROCK RBK 2**  
1891 • P.61

# kershaw®

## MANUFACTURING



Every Kershaw knife starts with American innovation, American design, and American engineering.

It comes to life with precision manufacturing and meticulous quality control—either in our Tualatin, Oregon factory, located in one of the USA's greatest centers of knife manufacturing, or in our overseas manufacturing facilities. Manufacturing depth like this enables us to build products for every budget and to meet demand throughout the US and worldwide.

While a knife may look simple, it's actually a complex piece of machinery. And when it comes to production brands like Kershaw—building a million knives each year—the complexity only gets amplified. From CNC machines, precision grinders, lasers, and a factory-full of specialized equipment to hand-assembly and sharpening by hundreds of skilled workers, what it takes to get that knife into your hands is nothing short of amazing.



Look for this icon designating knives proudly made in our Oregon USA factory.

All other Kershaw knives are proudly designed, prototyped, engineered, and quality controlled in the USA, and manufactured in China.

# AMERICAN



## QUALITY

Every Kershaw knife is manufactured to last a lifetime of quality performance. Kai USA's state-of-the art factory pushes the latest technologies and innovations, manufacturing over one million individual knives every year. Even for models that are imported overseas, all of Kershaw's quality control is meticulously maintained in the USA. No matter what Kershaw you buy, you're guaranteed a dependable tool.

## DESIGN


Kershaw's innovative Original Designs are conceptualized by the USA design team. For other models, Kershaw collaborates with many well-known custom knifemakers. In either case, Kershaw's USA team oversees the project from the drawing board to completion.

## SERVICE

Kershaw knives are backed by a Limited Lifetime Warranty against manufacturing defects, serviced in the USA. Sharpening, parts replacement, and general customer service are also available.

## JOBS

Kershaw employs over 300 employees in the USA, stimulating Oregon's economy and providing jobs in assembly, customer service, packaging, quality control, and more.



# kershaw®

## ORIGINALS



Kershaw's in-house designs are award-winning, fan-winning, customer-winning originals. From the freshest new industry-leading designs to modern versions of classics, Kershaw Originals bring you a full range of choices. For style, innovative technology, quality materials, and plenty of value, we deliver. Whether it's your first venture into a quality pocketknife or it's time for a top-of-the-line Made in the USA automatic, you can count on Kershaw Originals to bring you the best.



Look for this icon designating KERSHAW ORIGINALS.

## FEATURE ICONS


Find these icons on products with special features and materials:



Premium blade steel




Sub-Frame Lock



KVT ball-bearing opening



Emerson Wave Shaped Feature®




G10 handle scales



Sheath included




Canvas micarta handle scales



Composite Blade



Carbon fiber handle scales





"I've been carrying a pocket knife since I was 12, and there isn't a day you will find me without my Kershaw."

**Taylor Robert, X Games Gold Medalist,  
2019 ISDE Champion**

# AUTOMATIC SECTION

## OVERVIEW

- 11 TOTAL • 1 NEW
- 11 MADE IN USA
- 8 ORIGINAL DESIGNS
- 11 PREMIUM BLADE STEEL



The Kershaw Launch series is a collection of sleek, fast, instant-open knives. A push-button lock holds the blade in place under pressure from a coil spring. Pushing the button releases the lock, and the blade springs open, ready for use.

**NEW****LAUNCH 14**7850  
a KERSHAW ORIGINALS design

<b>STEEL</b>	CPM 154, black-oxide BlackWash™ finish
<b>HANDLE</b>	6061-T6 aluminum, gray anodized, carbon fiber scale front
<b>BLADE</b>	3.375 in. (8.6 cm)
<b>CLOSED</b>	4.375 in. (11.1 cm)
<b>OVERALL</b>	7.75 in. (19.7 cm)
<b>WEIGHT</b>	3.2 oz. (91 g)
<b>BOX</b>	087171062105
<b>CLAM</b>	-



<b>OPENING</b>	Push-button open
<b>LOCK</b>	Push-button lock release
<b>POCKETCLIP</b>	Reversible (right/left, tip-up)
<b>FEATURES</b>	Bronze anodized titanium tube spacer, integrated backspacer with lanyard hole

**LAUNCH 13**7650  
a KERSHAW ORIGINALS design

<b>STEEL</b>	CPM 154, black Cerakote coating with satin grinds
<b>HANDLE</b>	6061-T6 aluminum, black anodized
<b>BLADE</b>	3.5 in. (8.9 cm)
<b>CLOSED</b>	4.5 in. (11.4 cm)
<b>OVERALL</b>	8 in. (20.3 cm)
<b>WEIGHT</b>	2.4 oz. (68 g)
<b>BOX</b>	087171060620
<b>CLAM</b>	-



<b>OPENING</b>	Push-button open
<b>LOCK</b>	Push-button lock release
<b>POCKETCLIP</b>	Reversible (right/left, tip-up)
<b>FEATURES</b>	Custom triangular pivot, integrated backspacer with lanyard tie-off, weight-relieving handle windows

**LAUNCH 12**7125  
a MATT DISKIN design

<b>STEEL</b>	CPM 154, stonewashed finish
<b>HANDLE</b>	6061-T6 aluminum, black anodized, carbon fiber insert front
<b>BLADE</b>	2.5 in. (6.4 cm)
<b>CLOSED</b>	3.7 in. (9.5 cm)
<b>OVERALL</b>	6.2 in. (15.8 cm)
<b>WEIGHT</b>	1.9 oz. (54 g)
<b>BOX</b>	087171058634
<b>CLAM</b>	-



<b>OPENING</b>	Push-button open
<b>LOCK</b>	Push-button lock release
<b>POCKETCLIP</b>	Reversible (right/left, tip-up)
<b>FEATURES</b>	Integrated finger guards

**LAUNCH 11**7550  
a KERSHAW ORIGINALS design

<b>STEEL</b>	CPM 154, black-oxide BlackWash™ finish
<b>HANDLE</b>	6061-T6 aluminum, black anodized
<b>BLADE</b>	2.75 in. (7 cm)
<b>CLOSED</b>	3.8 in. (9.9 cm)
<b>OVERALL</b>	6.75 in. (16.6 cm)
<b>WEIGHT</b>	2.1 oz. (60 g)
<b>BOX</b>	087171058771
<b>CLAM</b>	-



<b>OPENING</b>	Push-button open
<b>LOCK</b>	Push-button lock release
<b>POCKETCLIP</b>	Reversible (right/left, tip-up)
<b>FEATURES</b>	Bronze anodized titanium trim ring, integrated backspacer with lanyard tie-off, weight-relieving handle window

**LAUNCH 10**7350  
a KERSHAW ORIGINALS design

<b>STEEL</b>	CPM 154, stonewashed finish
<b>HANDLE</b>	6061-T6 aluminum, gray anodized
<b>BLADE</b>	1.9 in. (4.8 cm)
<b>CLOSED</b>	3.2 in. (8.1 cm)
<b>OVERALL</b>	5.2 in. (13.2 cm)
<b>WEIGHT</b>	1.8 oz. (52 g)
<b>BOX</b>	087171055220
<b>CLAM</b>	-



<b>OPENING</b>	Push-button open
<b>LOCK</b>	Push-button lock release
<b>POCKETCLIP</b>	Reversible deep-carry (right/left, tip-up)
<b>FEATURES</b>	Integrated backspacer with lanyard hole



AUTOMATIC

kershaw®

KERSHAWKNIVES.COM

**LAUNCH 9**

7250

a KERSHAW ORIGINALS design



<b>STEEL</b>	CPM 154, working finish
<b>HANDLE</b>	6061-T6 aluminum, black anodized
<b>BLADE</b>	1.8 in. (4.6 cm)
<b>CLOSED</b>	3.25 in. (8.3 cm)
<b>OVERALL</b>	5 in. (12.7 cm)
<b>WEIGHT</b>	1.6 oz. (46 g)
<b>BOX</b>	087171055237
<b>CLAM</b>	-

<b>OPENING</b>	Push-button open
<b>LOCK</b>	Push-button lock release
<b>POCKETCLIP</b>	Reversible deep-carry (right/left, tip-up)
<b>FEATURES</b>	Integrated backspacer with lanyard hole

**LAUNCH 8**

7150

a MATT DISKIN design



<b>STEEL</b>	CPM 154, stonewashed finish
<b>HANDLE</b>	6061-T6 aluminum, gray anodized, carbon fiber insert front
<b>BLADE</b>	3.5 in. (9 cm)
<b>CLOSED</b>	4.75 in. (12.2 cm)
<b>OVERALL</b>	8.25 in. (21 cm)
<b>WEIGHT</b>	2.3 oz. (68 g)
<b>BOX</b>	087171055008
<b>CLAM</b>	-

<b>OPENING</b>	Push-button open
<b>LOCK</b>	Push-button lock release
<b>POCKETCLIP</b>	Reversible (right/left, tip-up)
<b>FEATURES</b>	Integrated finger guards

**LAUNCH 7**

7900GRYBLK

a TIM GALYEAN design



<b>STEEL</b>	CPM 154, black Cerakote coating
<b>HANDLE</b>	6061-T6 aluminum, gray anodized
<b>BLADE</b>	3.75 in. (9.5 cm)
<b>CLOSED</b>	5 in. (12.7 cm)
<b>OVERALL</b>	8.6 in. (21.8 cm)
<b>WEIGHT</b>	3.2 oz. (91 g)
<b>BOX</b>	087171048574
<b>CLAM</b>	-

<b>OPENING</b>	Push-button open
<b>LOCK</b>	Push-button lock release
<b>POCKETCLIP</b>	Reversible (right/left, tip-up)
<b>FEATURES</b>	Integrated backspacer

**LAUNCH 6**

7800BLK

a KERSHAW ORIGINALS design



<b>STEEL</b>	CPM 154, black Cerakote coating
<b>HANDLE</b>	6061-T6 aluminum, black anodized
<b>BLADE</b>	3.75 in. (9.5 cm)
<b>CLOSED</b>	4.9 in. (12.4 cm)
<b>OVERALL</b>	8.7 in. (22.1 cm)
<b>WEIGHT</b>	3.8 oz. (108 g)
<b>BOX</b>	087171044484
<b>CLAM</b>	-

<b>OPENING</b>	Push-button open
<b>LOCK</b>	Push-button lock release
<b>POCKETCLIP</b>	Reversible (right/left, tip-up)
<b>FEATURES</b>	Integrated backspacer, lanyard hole

**LAUNCH 1**

7100BW

a KERSHAW ORIGINALS design



<b>STEEL</b>	CPM 154, black-oxide BlackWash™ finish
<b>HANDLE</b>	6061-T6 aluminum, black anodized
<b>BLADE</b>	3.4 in. (8.6 cm)
<b>CLOSED</b>	4.6 in. (11.7 cm)
<b>OVERALL</b>	8 in. (20.3 cm)
<b>WEIGHT</b>	4 oz. (114 g)
<b>BOX</b>	087171039534
<b>CLAM</b>	-

<b>OPENING</b>	Push-button open
<b>LOCK</b>	Push-button lock release
<b>POCKETCLIP</b>	Reversible (right/left, tip-up)
<b>FEATURES</b>	Integrated backspacer, lanyard tie-off





## LAUNCH 4

7500BLK  
a KERSHAW ORIGINALS design



<b>STEEL</b>	CPM 154, black Cerakote coating
<b>HANDLE</b>	6061-T6 aluminum, black anodized
<b>BLADE</b>	1.9 in. (4.8 cm)
<b>CLOSED</b>	3.2 in. (8.1 cm)
<b>OVERALL</b>	5.1 in. (13 cm)
<b>WEIGHT</b>	1.8 oz. (51 g)
<b>BOX</b>	087171041100
<b>CLAM</b>	-

<b>OPENING</b>	Push-button open
<b>LOCK</b>	Push-button lock release
<b>POCKETCLIP</b>	Single-position (right, tip-up)
<b>FEATURES</b>	Integrated backspacer



# STARTER SECTION

OVERVIEW

15 TOTAL • 3 NEW

15 ORIGINAL DESIGNS



This collection is sure to get your blade obsession off to a great start. You get top Kershaw technology, quality, and plenty of style in this series of pocketknives that won't break the budget.

**NEW****FLATBED**

1376

a KERSHAW ORIGINALS design



<b>STEEL</b>	8Cr13MoV, black-oxide BlackWash™ finish
<b>HANDLE</b>	Glass-filled nylon, steel inlay, black-oxide BlackWash™ finish
<b>BLADE</b>	3.125 in. (7.9 cm)
<b>CLOSED</b>	4.125 in. (10.5 cm)
<b>OVERALL</b>	7.25 in. (18.4 cm)
<b>WEIGHT</b>	3.2 oz. (91 g)
<b>BOX</b>	087171061986
<b>CLAM</b>	087171064406



<b>OPENING</b>	Assisted opening with flipper
<b>LOCK</b>	Liner lock
<b>POCKETCLIP</b>	Reversible deep-carry (right/left, tip-up)
<b>FEATURES</b>	Lanyard hole, custom backspacer

**NEW****SALVAGE**

1369

a KERSHAW ORIGINALS design



<b>STEEL</b>	8Cr13MoV, stonewashed finish
<b>HANDLE</b>	Stainless steel, stonewashed finish, glass-filled nylon overlays
<b>BLADE</b>	2.9 in. (7.4 cm)
<b>CLOSED</b>	3.9 in. (9.9 cm)
<b>OVERALL</b>	6.8 in. (17.3 cm)
<b>WEIGHT</b>	3.4 oz. (96 g)
<b>BOX</b>	087171061559
<b>CLAM</b>	087171064390



<b>OPENING</b>	Assisted opening with flipper
<b>LOCK</b>	Frame lock
<b>POCKETCLIP</b>	Single-position deep-carry (right/left, tip-up)
<b>FEATURES</b>	Custom backspacer

**NEW****JETPACK**

1401

a KERSHAW ORIGINALS design



<b>STEEL</b>	8Cr13MoV, stonewashed finish
<b>HANDLE</b>	Stainless steel, stonewashed finish, glass-filled nylon overlays
<b>BLADE</b>	2.75 in. (7 cm)
<b>CLOSED</b>	3.75 in. (9.5 cm)
<b>OVERALL</b>	6.5 in. (16.5 cm)
<b>WEIGHT</b>	2.9 oz. (82 g)
<b>BOX</b>	087171061764
<b>CLAM</b>	-



<b>OPENING</b>	Assisted opening with flipper
<b>LOCK</b>	Liner lock
<b>POCKETCLIP</b>	Reversible deep-carry (right/left, tip-up)
<b>FEATURES</b>	Lanyard hole, custom backspacer

**LIGHTYEAR**

1395

a KERSHAW ORIGINALS design

<b>STEEL</b>	5Cr15MoV, bead-blasted finish
<b>HANDLE</b>	Glass-filled nylon
<b>BLADE</b>	3.125 in. (7.9 cm)
<b>CLOSED</b>	4.125 in. (10.5 cm)
<b>OVERALL</b>	7.25 in. (18.4 cm)
<b>WEIGHT</b>	2.5 oz. (71 g)
<b>BOX</b>	087171058863
<b>CLAM</b>	087171060941



<b>OPENING</b>	Assisted opening with flipper
<b>LOCK</b>	Liner lock
<b>POCKETCLIP</b>	Reversible deep-carry (right/left, tip-up)
<b>FEATURES</b>	Lanyard hole

**TREMOL0**

1390

a KERSHAW ORIGINALS design

<b>STEEL</b>	4Cr14, stonewashed finish
<b>HANDLE</b>	Glass-filled nylon
<b>BLADE</b>	3.125 in. (7.9 cm)
<b>CLOSED</b>	4.125 in. (10.5 cm)
<b>OVERALL</b>	7.25 in. (18.4 cm)
<b>WEIGHT</b>	2.8 oz. (79 g)
<b>BOX</b>	087171060934
<b>CLAM</b>	087171062488



<b>OPENING</b>	Assisted opening with flipper
<b>LOCK</b>	Liner lock
<b>POCKETCLIP</b>	Reversible deep-carry (right/left, tip-up)
<b>FEATURES</b>	Steel handle inlays

**CAMSHAFT**1370  
a KERSHAW ORIGINALS design

<b>STEEL</b>	4Cr14, stonewashed finish
<b>HANDLE</b>	Glass-filled nylon
<b>BLADE</b>	3 in. (7.6 cm)
<b>CLOSED</b>	4.25 in. (10.8 cm)
<b>OVERALL</b>	7.25 in. (18.4 cm)
<b>WEIGHT</b>	3.1 oz. (90 g)
<b>BOX</b>	087171057637
<b>CLAM</b>	087171060453

<b>OPENING</b>	Assisted opening with flipper
<b>LOCK</b>	Liner lock
<b>POCKETCLIP</b>	Reversible deep-carry (right/left, tip-up)
<b>FEATURES</b>	Lanyard hole, decorative pivot cap, custom backspacer

**AIRLOCK**1385  
a KERSHAW ORIGINALS design

<b>STEEL</b>	5Cr15MoV, bead-blasted finish
<b>HANDLE</b>	Glass-filled nylon
<b>BLADE</b>	3 in. (7.6 cm)
<b>CLOSED</b>	4.25 in. (10.8 cm)
<b>OVERALL</b>	7.25 in. (18.5 cm)
<b>WEIGHT</b>	2.9 oz. (84 g)
<b>BOX</b>	087171058405
<b>CLAM</b>	087171059044

<b>OPENING</b>	Assisted opening with flipper
<b>LOCK</b>	Inset liner lock
<b>POCKETCLIP</b>	Reversible (right/left, tip-up)
<b>FEATURES</b>	Lanyard hole, weight-relieving handle window, decorative pivot cap

**STARTER**1301BW  
a KERSHAW ORIGINALS design

<b>STEEL</b>	4Cr14, black-oxide BlackWash™ finish
<b>HANDLE</b>	Stainless steel, black-oxide BlackWash™ finish
<b>BLADE</b>	3.4 in. (8.6 cm)
<b>CLOSED</b>	4.5 in. (11.4 cm)
<b>OVERALL</b>	7.9 in. (20.1 cm)
<b>WEIGHT</b>	6.4 oz. (183 g)
<b>BOX</b>	087171037646
<b>CLAM</b>	087171037653

<b>OPENING</b>	Assisted opening with flipper or thumb stud
<b>LOCK</b>	Liner lock
<b>POCKETCLIP</b>	Single-position deep-carry (right, tip-down)
<b>FEATURES</b>	Lanyard hole

**LIFTER**1302BW  
a KERSHAW ORIGINALS design

<b>STEEL</b>	4Cr14, black-oxide BlackWash™ finish
<b>HANDLE</b>	Stainless steel, black-oxide BlackWash™ finish
<b>BLADE</b>	3.5 in. (8.9 cm)
<b>CLOSED</b>	4.5 in. (11.4 cm)
<b>OVERALL</b>	7.9 in. (20.1 cm)
<b>WEIGHT</b>	5.8 oz. (167 g)
<b>BOX</b>	087171037660
<b>CLAM</b>	087171037677

<b>OPENING</b>	Assisted opening with flipper or thumb stud
<b>LOCK</b>	Frame lock
<b>POCKETCLIP</b>	Single-position deep-carry (right, tip-down)
<b>FEATURES</b>	Lanyard hole

**FILTER**1306BW  
a KERSHAW ORIGINALS design

<b>STEEL</b>	4Cr14, black-oxide BlackWash™ finish
<b>HANDLE</b>	Stainless steel, black-oxide BlackWash™ finish
<b>BLADE</b>	3.25 in. (8.3 cm)
<b>CLOSED</b>	4.5 in. (11.4 cm)
<b>OVERALL</b>	7.75 in. (19.7 cm)
<b>WEIGHT</b>	5 oz. (143 g)
<b>BOX</b>	087171039213
<b>CLAM</b>	087171039220

<b>OPENING</b>	Assisted opening with flipper or thumb stud
<b>LOCK</b>	Frame lock
<b>POCKETCLIP</b>	Single-position deep-carry (right, tip-down)



## MISDIRECT

1365  
a KERSHAW ORIGINALS design



<b>STEEL</b>	4Cr14, black-oxide BlackWash™ finish
<b>HANDLE</b>	Stainless steel, bead-blasted finish
<b>BLADE</b>	2.9 in. (7.6 cm)
<b>CLOSED</b>	4 in. (10.1 cm)
<b>OVERALL</b>	6.8 in. (17.5 cm)
<b>WEIGHT</b>	3.2 oz. (93 g)
<b>BOX</b>	087171055169
<b>CLAM</b>	087171055688



## SPOKE

1313BLK  
a KERSHAW ORIGINALS design



<b>STEEL</b>	8Cr13MoV, black-oxide coating
<b>HANDLE</b>	Stainless steel, black-oxide coating
<b>BLADE</b>	2 in. (5.1 cm)
<b>CLOSED</b>	2.8 in. (7.1 cm)
<b>OVERALL</b>	4.75 in. (12.1 cm)
<b>WEIGHT</b>	3.1 oz. (88 g)
<b>BOX</b>	087171044446
<b>CLAM</b>	-

<b>OPENING</b>	Assisted opening with flipper
<b>LOCK</b>	Frame lock
<b>POCKETCLIP</b>	3-position (right/left, tip up; right, tip-down)
<b>FEATURES</b>	Lanyard hole




## GRINDER

1319  
a KERSHAW ORIGINALS design



<b>STEEL</b>	4Cr14, bead-blasted finish
<b>HANDLE</b>	Glass-filled nylon
<b>BLADE</b>	3.25 in. (8.3 cm)
<b>CLOSED</b>	4.5 in. (11.4 cm)
<b>OVERALL</b>	7.75 in. (19.7 cm)
<b>WEIGHT</b>	4.5 oz. (128 g)
<b>BOX</b>	087171044736
<b>CLAM</b>	087171045771

<b>OPENING</b>	Assisted opening with flipper
<b>LOCK</b>	Liner lock
<b>POCKETCLIP</b>	Reversible deep-carry (right/left, tip-up)



## VALVE

1375  
a KERSHAW ORIGINALS design



<b>STEEL</b>	4Cr14, stonewashed finish
<b>HANDLE</b>	Stainless steel, bead-blasted finish
<b>BLADE</b>	2.25 in. (5.7 cm)
<b>CLOSED</b>	3.25 in. (8.3 cm)
<b>OVERALL</b>	5.5 in. (14 cm)
<b>WEIGHT</b>	3 oz. (85 g)
<b>BOX</b>	087171057910
<b>CLAM</b>	087171059532

<b>OPENING</b>	Assisted opening with flipper
<b>LOCK</b>	Frame lock
<b>POCKETCLIP</b>	Single-position deep-carry (right, tip-up)
<b>FEATURES</b>	Black-oxide pivot cap, bead-blasted steel pocketclip, glass-filled nylon backspacer



## CATHODE

1324  
a KERSHAW ORIGINALS design



<b>STEEL</b>	4Cr14, stonewashed finish
<b>HANDLE</b>	Stainless steel, hot-stamped texture
<b>BLADE</b>	2.25 in. (5.7 cm)
<b>CLOSED</b>	3.25 in. (8.3 cm)
<b>OVERALL</b>	5.5 in. (14 cm)
<b>WEIGHT</b>	2.7 oz. (77 g)
<b>BOX</b>	087171044903
<b>CLAM</b>	087171044910

<b>OPENING</b>	Assisted opening with flipper
<b>LOCK</b>	Frame lock
<b>POCKETCLIP</b>	Reversible (right/left, tip-up)



# EDC-ASSISTED SECTION

## OVERVIEW

77 TOTAL • 3 NEW  
34 MADE IN USA  
26 ORIGINAL DESIGNS  
11 PREMIUM BLADE STEEL



Kershaw's assisted opening knives are ultra-fast and ultra-reliable. When closed, a torsion bar in the handle creates a bias toward the closed position. To open the knife, apply manual pressure to the thumb stud or flipper to overcome the torsion bar's resistance and open the knife.

## LINK - OLIVE SW, CPM 20CV

17760LSW  
a KERSHAW ORIGINALS design



STEEL	CPM 20CV, stonewashed finish
HANDLE	6061-T6 aluminum, olive anodized
BLADE	3.25 in. (8.4 cm)
CLOSED	4.4 in. (11.2 cm)
OVERALL	7.6 in. (19.3 cm)
WEIGHT	4.7 oz. (134 g)
BOX	087171058474
CLAM	-

OPENING	Assisted opening with flipper
LOCK	Liner lock
POCKETCLIP	Reversible (right/left, tip-up)
FEATURES	Lanyard hole




## DIVIDEND - COMPOSITE

18120LCB  
a KERSHAW ORIGINALS design



STEEL	D2, N690, bead-blasted finish
HANDLE	6061-T6 aluminum, olive anodized
BLADE	3 in. (7.6 cm)
CLOSED	4.25 in. (10.8 cm)
OVERALL	7.25 in. (18.5 cm)
WEIGHT	2.8 oz. (82 g)
BOX	087171058481
CLAM	-

OPENING	Assisted opening with flipper
LOCK	Liner lock
POCKETCLIP	4-position deep-carry (right/left; tip-up/down)
FEATURES	Lanyard hole



## BLUR - BLACK

1670BLKST • 1670BLK  
a KEN ONION design



STEEL	14C28N, black Cerakote coating
HANDLE	6061-T6 aluminum, black anodized, Trac-Tec inserts
BLADE	3.4 in. (8.6 cm)
CLOSED	4.5 in. (11.4 cm)
OVERALL	7.9 in. (20 cm)
WEIGHT	3.9 oz. (111 g)
BOX	087171167107 serrated 087171167008 plain
CLAM	087171167114 serrated

OPENING	Assisted opening with thumb stud
LOCK	Inset liner lock
POCKETCLIP	Reversible (right, tip-up/down)
FEATURES	Lanyard hole



## BLUR - S30V STONEWASH

1670S30V  
a KEN ONION design



STEEL	CPM S30V, stonewashed finish
HANDLE	6061-T6 aluminum, black anodized, Trac-Tec inserts
BLADE	3.4 in. (8.6 cm)
CLOSED	4.5 in. (11.4 cm)
OVERALL	7.9 in. (20 cm)
WEIGHT	4 oz. (113 g)
BOX	087171167275
CLAM	-

OPENING	Assisted opening with thumb stud
LOCK	Inset liner lock
POCKETCLIP	Reversible (right, tip-up/down)
FEATURES	Lanyard hole



## BLUR - BLACKWASH™

1670BW  
a KEN ONION design



STEEL	14C28N, black-oxide BlackWash™ coating
HANDLE	6061-T6 aluminum, black anodized, Trac-Tec inserts
BLADE	3.4 in. (8.6 cm)
CLOSED	4.5 in. (11.4 cm)
OVERALL	7.9 in. (20 cm)
WEIGHT	3.9 oz. (111 g)
BOX	087171036335
CLAM	-

OPENING	Assisted opening with thumb stud
LOCK	Inset liner lock
POCKETCLIP	Reversible (right, tip-up/down)
FEATURES	Lanyard hole



**BLUR - NAVY BLUE STONEWASH**1670NBSW  
a KEN ONION design

<b>STEEL</b>	14C28N, stonewashed finish
<b>HANDLE</b>	6061-T6 aluminum, blue anodized, Trac-Tec inserts
<b>BLADE</b>	3.4 in. (8.6 cm)
<b>CLOSED</b>	4.5 in. (11.4 cm)
<b>OVERALL</b>	7.9 in. (20 cm)
<b>WEIGHT</b>	3.9 oz. (111 g)
<b>BOX</b>	087171039473
<b>CLAM</b>	-



<b>OPENING</b>	Assisted opening with thumb stud
<b>LOCK</b>	Inset liner lock
<b>POCKETCLIP</b>	Reversible (right, tip-up/down)
<b>FEATURES</b>	Lanyard hole

**BLUR - OLIVE/BLACK**16700LBLK  
a KEN ONION design

<b>STEEL</b>	14C28N, black Cerakote coating
<b>HANDLE</b>	6061-T6 aluminum, olive anodized, Trac-Tec inserts
<b>BLADE</b>	3.4 in. (8.6 cm)
<b>CLOSED</b>	4.5 in. (11.4 cm)
<b>OVERALL</b>	7.9 in. (20 cm)
<b>WEIGHT</b>	3.9 oz. (111 g)
<b>BOX</b>	087171031644
<b>CLAM</b>	-



<b>OPENING</b>	Assisted opening with thumb stud
<b>LOCK</b>	Inset liner lock
<b>POCKETCLIP</b>	Reversible (right, tip-up/down)
<b>FEATURES</b>	Lanyard hole

**BLUR - GLASS BREAKER**1670GBBLKST  
a KEN ONION design

<b>STEEL</b>	14C28N, black Cerakote coating
<b>HANDLE</b>	6061-T6 aluminum, black anodized, Trac-Tec inserts
<b>BLADE</b>	3.4 in. (8.6 cm)
<b>CLOSED</b>	4.5 in. (11.4 cm)
<b>OVERALL</b>	7.9 in. (20 cm)
<b>WEIGHT</b>	3.9 oz. (111 g)
<b>BOX</b>	087171033761
<b>CLAM</b>	-



<b>OPENING</b>	Assisted opening with thumb stud
<b>LOCK</b>	Inset liner lock
<b>POCKETCLIP</b>	Reversible (right, tip-up/down)
<b>FEATURES</b>	Carbide glassbreaker tip, lanyard hole

**BLUR - TANTO BLACK**1670TBLKST  
a KEN ONION design

<b>STEEL</b>	14C28N, black Cerakote coating
<b>HANDLE</b>	6061-T6 aluminum, black anodized, Trac-Tec inserts
<b>BLADE</b>	3.4 in. (8.6 cm)
<b>CLOSED</b>	4.5 in. (11.4 cm)
<b>OVERALL</b>	7.9 in. (20 cm)
<b>WEIGHT</b>	3.9 oz. (111 g)
<b>BOX</b>	087171167602
<b>CLAM</b>	087171167336



<b>OPENING</b>	Assisted opening with thumb stud
<b>LOCK</b>	Inset liner lock
<b>POCKETCLIP</b>	Reversible (right, tip-up/down)
<b>FEATURES</b>	Lanyard hole

**LEEK**1660ST • 1660  
a KEN ONION design

<b>STEEL</b>	14C28N, bead-blasted finish
<b>HANDLE</b>	410 stainless steel, bead-blasted finish
<b>BLADE</b>	3 in. (7.6 cm)
<b>CLOSED</b>	4 in. (10.2 cm)
<b>OVERALL</b>	7 in. (17.9 cm)
<b>WEIGHT</b>	3 oz. (85 g)
<b>BOX</b>	087171166100 serrated 087171166001 plain
<b>CLAM</b>	087171166117 serrated 087171166018 plain



<b>OPENING</b>	Assisted opening with flipper
<b>LOCK</b>	Frame lock with Tip-Lock Slider
<b>POCKETCLIP</b>	Reversible (right, tip-up/down)
<b>FEATURES</b>	Lanyard hole

**LEEK - BLACK**1660CKTST • 1660CKT  
a KEN ONION design

<b>STEEL</b>	14C28N, black Cerakote coating
<b>HANDLE</b>	410 stainless steel, black Cerakote coating
<b>BLADE</b>	3 in. (7.6 cm)
<b>CLOSED</b>	4 in. (10.2 cm)
<b>OVERALL</b>	7 in. (17.9 cm)
<b>WEIGHT</b>	3 oz. (85 g)
<b>BOX</b>	087171166148 serrated
<b>CLAM</b>	087171166216 plain




1660CKT




1660CKTST

**LEEK - COMPOSITE BLACKWASH™**1660CBBW  
a KEN ONION design

<b>STEEL</b>	D2/14C28N Composite, black-oxide BlackWash™ finish
<b>HANDLE</b>	410 stainless steel, black-oxide BlackWash™ finish
<b>BLADE</b>	3 in. (7.6 cm)
<b>CLOSED</b>	4 in. (10.2 cm)
<b>OVERALL</b>	7 in. (17.9 cm)
<b>WEIGHT</b>	3.1 oz. (88 g)
<b>BOX</b>	087171038254
<b>CLAM</b>	-

**LEEK - COMPOSITE**1660CB  
a KEN ONION design

<b>STEEL</b>	D2/14C28N Composite, bead-blasted finish
<b>HANDLE</b>	410 stainless steel, bead-blasted finish
<b>BLADE</b>	3 in. (7.6 cm)
<b>CLOSED</b>	4 in. (10.2 cm)
<b>OVERALL</b>	7 in. (17.9 cm)
<b>WEIGHT</b>	3.1 oz. (88 g)
<b>BOX</b>	087171166155
<b>CLAM</b>	-

**LEEK - COPPER**1660CU  
a KEN ONION design

<b>STEEL</b>	CPM 154, stonewashed finish
<b>HANDLE</b>	Copper, brushed satin finish
<b>BLADE</b>	3 in. (7.6 cm)
<b>CLOSED</b>	4 in. (10.2 cm)
<b>OVERALL</b>	7 in. (17.9 cm)
<b>WEIGHT</b>	4 oz. (115 g)
<b>BOX</b>	087171058078
<b>CLAM</b>	-

**LEEK - BLACKWASH™**1660BLKW  
a KEN ONION design

<b>STEEL</b>	14C28N, black-oxide BlackWash™ finish
<b>HANDLE</b>	410 stainless steel, black-oxide BlackWash™ finish
<b>BLADE</b>	3 in. (7.6 cm)
<b>CLOSED</b>	4 in. (10.2 cm)
<b>OVERALL</b>	7 in. (17.9 cm)
<b>WEIGHT</b>	3 oz. (85 g)
<b>BOX</b>	087171038049
<b>CLAM</b>	087171166490



kershaw®

KERSHAWKNIVES.COM

24

EDC - ASSISTED



**RANDOM LEEK - BLACKWASH™**1660RBW  
a KEN ONION design

<b>STEEL</b>	14C28N, black-oxide BlackWash™ finish
<b>HANDLE</b>	410 stainless steel, black-oxide BlackWash™ finish
<b>BLADE</b>	3 in. (7.6 cm)
<b>CLOSED</b>	4 in. (10.2 cm)
<b>OVERALL</b>	7 in. (17.9 cm)
<b>WEIGHT</b>	2.9 oz. (82 g)
<b>BOX</b>	087171060956
<b>CLAM</b>	-

**RANDOM LEEK**1660R  
a KEN ONION design


<b>STEEL</b>	14C28N, bead-blasted finish
<b>HANDLE</b>	410 stainless steel, bead-blasted finish
<b>BLADE</b>	3 in. (7.6 cm)
<b>CLOSED</b>	4 in. (10.2 cm)
<b>OVERALL</b>	7 in. (17.9 cm)
<b>WEIGHT</b>	2.9 oz. (82 g)
<b>BOX</b>	087171060958
<b>CLAM</b>	-

**LEEK - CARBON FIBER**1660CF  
a KEN ONION design

<b>STEEL</b>	CPM 154, stonewashed finish
<b>HANDLE</b>	Carbon fiber
<b>BLADE</b>	3 in. (7.6 cm)
<b>CLOSED</b>	4 in. (10.2 cm)
<b>OVERALL</b>	7 in. (17.9 cm)
<b>WEIGHT</b>	2.4 oz. (69 g)
<b>BOX</b>	087171048550
<b>CLAM</b>	087171050324

**LEEK - BLACK STONEWASH**1660SWBLK  
a KEN ONION design

<b>STEEL</b>	14C28N, stonewashed finish
<b>HANDLE</b>	6061-T6 aluminum, black anodized
<b>BLADE</b>	3 in. (7.6 cm)
<b>CLOSED</b>	4 in. (10.2 cm)
<b>OVERALL</b>	7 in. (17.9 cm)
<b>WEIGHT</b>	2.4 oz. (68 g)
<b>BOX</b>	087171035079
<b>CLAM</b>	-

**LEEK - OLIVE**1660OL  
a KEN ONION design

<b>STEEL</b>	14C28N, bead-blasted finish
<b>HANDLE</b>	6061-T6 aluminum, olive anodized
<b>BLADE</b>	3 in. (7.6 cm)
<b>CLOSED</b>	4 in. (10.2 cm)
<b>OVERALL</b>	7 in. (17.9 cm)
<b>WEIGHT</b>	2.4 oz. (68 g)
<b>BOX</b>	087171035116
<b>CLAM</b>	087171035123



**LEEK - TEAL**1660TEAL  
a KEN ONION design

<b>STEEL</b>	14C28N, bead-blasted finish
<b>HANDLE</b>	6061-T6 aluminum, teal anodized
<b>BLADE</b>	3 in. (7.6 cm)
<b>CLOSED</b>	4 in. (10.2 cm)
<b>OVERALL</b>	7 in. (17.9 cm)
<b>WEIGHT</b>	2.4 oz. (68 g)
<b>BOX</b>	087171037561
<b>CLAM</b>	-

**LEEK - ORANGE**1660OR  
a KEN ONION design

<b>STEEL</b>	14C28N, bead-blasted finish
<b>HANDLE</b>	6061-T6 aluminum, orange anodized
<b>BLADE</b>	3 in. (7.6 cm)
<b>CLOSED</b>	4 in. (10.2 cm)
<b>OVERALL</b>	7 in. (17.9 cm)
<b>WEIGHT</b>	2.4 oz. (68 g)
<b>BOX</b>	087171035130
<b>CLAM</b>	087171035147

**LEEK - PURPLE**1660PUR  
a KEN ONION design

<b>STEEL</b>	14C28N, bead-blasted finish
<b>HANDLE</b>	6061-T6 aluminum, purple anodized
<b>BLADE</b>	3 in. (7.6 cm)
<b>CLOSED</b>	4 in. (10.2 cm)
<b>OVERALL</b>	7 in. (17.9 cm)
<b>WEIGHT</b>	2.4 oz. (68 g)
<b>BOX</b>	087171035093
<b>CLAM</b>	-

**SCALLION**1620ST • 1620  
a KEN ONION design

<b>STEEL</b>	420HC, bead-blasted finish
<b>HANDLE</b>	Glass-filled nylon
<b>BLADE</b>	2.4 in. (6.1 cm)
<b>CLOSED</b>	3.5 in. (8.9 cm)
<b>OVERALL</b>	5.75 in. (14.6 cm)
<b>WEIGHT</b>	2.3 oz. (65 g)
<b>BOX</b>	087171162102 serrated
<b>CLAM</b>	087171162003 plain

**SCALLION - FRAME LOCK**1620FL  
a KEN ONION design

<b>STEEL</b>	420HC, bead-blasted finish
<b>HANDLE</b>	410 stainless steel, bead-blasted finish
<b>BLADE</b>	2.4 in. (6.1 cm)
<b>CLOSED</b>	3.5 in. (8.9 cm)
<b>OVERALL</b>	5.75 in. (14.6 cm)
<b>WEIGHT</b>	2.9 oz. (82 g)
<b>BOX</b>	087171162201
<b>CLAM</b>	087171162225



**SCALLION - PURPLE**1620PUR  
a KEN ONION design

<b>STEEL</b>	420HC, bead-blasted finish
<b>HANDLE</b>	6061-T6 aluminum, purple anodized
<b>BLADE</b>	2.4 in. (6.1 cm)
<b>CLOSED</b>	3.5 in. (8.9 cm)
<b>OVERALL</b>	5.75 in. (14.6 cm)
<b>WEIGHT</b>	2.5 oz. (71 g)
<b>BOX</b>	087171035154
<b>CLAM</b>	087171035161

**SCALLION - OLIVE DRAB**1620OL  
a KEN ONION design

<b>STEEL</b>	420HC, bead-blasted finish
<b>HANDLE</b>	6061-T6 aluminum, olive anodized
<b>BLADE</b>	2.4 in. (6.1 cm)
<b>CLOSED</b>	3.5 in. (8.9 cm)
<b>OVERALL</b>	5.75 in. (14.6 cm)
<b>WEIGHT</b>	2.5 oz. (71 g)
<b>BOX</b>	087171035192
<b>CLAM</b>	087171035208

**SCALLION - NAVY BLUE**1620NB  
a KEN ONION design

<b>STEEL</b>	420HC, bead-blasted finish
<b>HANDLE</b>	6061-T6 aluminum, navy blue anodized
<b>BLADE</b>	2.4 in. (6.1 cm)
<b>CLOSED</b>	3.5 in. (8.9 cm)
<b>OVERALL</b>	5.75 in. (14.6 cm)
<b>WEIGHT</b>	2.5 oz. (71 g)
<b>BOX</b>	087171035178
<b>CLAM</b>	087171035185

**CHIVE**1600  
a KEN ONION design

<b>STEEL</b>	420HC, bead-blasted finish
<b>HANDLE</b>	410 stainless steel, bead-blasted finish
<b>BLADE</b>	1.9 in. (4.8 cm)
<b>CLOSED</b>	2.9 in. (7.4 cm)
<b>OVERALL</b>	4.8 in. (12.2 cm)
<b>WEIGHT</b>	1.7 oz. (48 g)
<b>BOX</b>	087171160009
<b>CLAM</b>	087171160016

**CHIVE - PINK**1600PINK  
a KEN ONION design

<b>STEEL</b>	420HC, bead-blasted finish
<b>HANDLE</b>	6061-T6 aluminum, pink anodized
<b>BLADE</b>	1.9 in. (4.8 cm)
<b>CLOSED</b>	2.9 in. (7.4 cm)
<b>OVERALL</b>	4.8 in. (12.2 cm)
<b>WEIGHT</b>	1.5 oz. (43 g)
<b>BOX</b>	087171160276
<b>CLAM</b>	-



EDC - ASSISTED

kershaw®

KERSHAWKNIVES.COM



**NEW****LUCID**

2036

a KERSHAW ORIGINALS design

**STEEL** 8Cr13MoV, stonewashed finish**HANDLE** Glass-filled nylon front, stainless steel back, stonewashed finish**BLADE** 3.2 in. (8.1 cm)**CLOSED** 4.2 in. (10.7 cm)**OVERALL** 7.4 in. (18.8 cm)**WEIGHT** 4.3 oz. (122 g)**BOX** 087171063683**CLAM** -**NEW****OUTLIER**

2064

a KERSHAW ORIGINALS design

**STEEL** 8Cr13MoV, black-oxide BlackWash™ finish**HANDLE** Glass-filled nylon, G10 texture**BLADE** 2.6 in. (6.6 cm)**CLOSED** 5 in. (12.7 cm)**OVERALL** 7 in. (17.8 cm)**WEIGHT** 3.6 oz. (102 g)**BOX** 087171063188**OPENING** Assisted opening with flipper or thumb stud**LOCK** Liner lock**OPENING** Assisted opening with flipper**LOCK** Frame lock**POCKETCLIP** Reversible deep-carry (right/left, tip-up)**FEATURES** Decorative pivot and pivot collar, custom backspacer, back handle inlay**NEW****LITHIUM**

2049

a KERSHAW ORIGINALS design

**STEEL** 8Cr13MoV, bead-blasted finish**HANDLE** Stainless steel, bead-blasted finish, glass-filled nylon**BLADE** 3.25 in. (8.3 cm)**CLOSED** 4.25 in. (10.8 cm)**OVERALL** 7.5 in. (19.1 cm)**WEIGHT** 3.4 oz. (96 g)**BOX** 087171062082**CLAM** 087171063935**POCKETCLIP** Reversible deep-carry (right/left, tip-up)**FEATURES** Karambit-style blade; steel finger ring**CANNONBALL**

2061

a KERSHAW ORIGINALS design



D2

**STEEL** D2, black-oxide BlackWash™ finish**HANDLE** Stainless steel, gray PVD coating**BLADE** 3.5 in. (8.9 cm)**CLOSED** 4.5 in. (11.4 cm)**OVERALL** 8 in. (20.3 cm)**WEIGHT** 5.4 oz. (153 g)**BOX** 087171060163**CLAM** -**OPENING** Assisted opening with flipper**LOCK** Frame lock**POCKETCLIP** Reversible deep-carry (right/left, tip-up)**FEATURES** Decorative pivot cap, custom backspacer, lanyard hole**ANALYST**

2062ST

a KERSHAW ORIGINALS design

**STEEL** 8Cr13MoV, black-oxide BlackWash™ finish**HANDLE** Glass filled nylon**BLADE** 3.25 in. (8.3 cm)**CLOSED** 4.25 in. (10.8 cm)**OVERALL** 7.5 in. (19 cm)**WEIGHT** 3.5 oz. (142 g)**BOX** 087171060699**CLAM** 0871710624951390**OPENING** Assisted opening with flipper**LOCK** Liner lock**POCKETCLIP** 4-position deep-carry (right/left; tip-up/down)**FEATURES** Lanyard hole, blade serrations

**BRACKET**3455  
a KERSHAW ORIGINALS design

<b>STEEL</b>	8Cr13MoV, stonewashed finish
<b>HANDLE</b>	Glass-filled nylon front, stainless steel back, stonewashed finish
<b>BLADE</b>	3.4 in. (8.6 cm)
<b>CLOSED</b>	4.4 in. (11.2 cm)
<b>OVERALL</b>	7.75 in. (19.7 cm)
<b>WEIGHT</b>	4.3 oz. (122 g)
<b>BOX</b>	087171060392
<b>CLAM</b>	087171062549

**COLLATERAL**5500  
a KERSHAW ORIGINALS design


<b>STEEL</b>	D2, satin finish with sanded flats
<b>HANDLE</b>	Stainless steel, titanium carbo-nitride finish, with carbon fiber insert
<b>BLADE</b>	3.4 in. (8.6 cm)
<b>CLOSED</b>	4.6 in. (11.7 cm)
<b>OVERALL</b>	8 in. (20.3 cm)
<b>WEIGHT</b>	4.3 oz. (122 g)
<b>BOX</b>	087171054773
<b>CLAM</b>	-

**TURISMO**5505  
a KERSHAW ORIGINALS design



<b>STEEL</b>	D2, satin finish with sanded flats
<b>HANDLE</b>	Stainless steel, black PVD coating
<b>BLADE</b>	2.9 in. (7.3 cm)
<b>CLOSED</b>	3.9 in. (10 cm)
<b>OVERALL</b>	6.75 in. (17.1 cm)
<b>WEIGHT</b>	3.3 oz. (94 g)
<b>BOX</b>	087171054780
<b>CLAM</b>	-

**GRAVEL**2065  
a KERSHAW ORIGINALS design

<b>STEEL</b>	8Cr13MoV, black-oxide BlackWash™ finish
<b>HANDLE</b>	Stainless steel, black-oxide BlackWash™ finish
<b>BLADE</b>	2.5 in. (6.4 cm)
<b>CLOSED</b>	3.5 in. (8.9 cm)
<b>OVERALL</b>	5.9 in. (15.2 cm)
<b>WEIGHT</b>	2.7 oz. (78 g)
<b>BOX</b>	087171056487
<b>CLAM</b>	087171056494

**PAYOUT**2075  
a KERSHAW ORIGINALS design

<b>STEEL</b>	D2, stonewashed finish
<b>HANDLE</b>	Stainless steel, stonewashed finish, with G10 handle scale
<b>BLADE</b>	3.5 in. (8.9 cm)
<b>CLOSED</b>	4.9 in. (12.6 cm)
<b>OVERALL</b>	8.3 in. (21.3 cm)
<b>WEIGHT</b>	5.3 oz. (150 g)
<b>BOX</b>	087171058085
<b>CLAM</b>	-



## KURO - SERRATED

1835TBLKST

a KERSHAW ORIGINALS design



<b>STEEL</b>	8Cr13MoV, black-oxide coating
<b>HANDLE</b>	Glass-filled nylon
<b>BLADE</b>	3.1 in. (7.9 cm)
<b>CLOSED</b>	4.1 in. (10.5 cm)
<b>OVERALL</b>	7.25 in. (18.4 cm)
<b>WEIGHT</b>	3.2 oz. (90 g)
<b>BOX</b>	087171033747
<b>CLAM</b>	-

<b>OPENING</b>	Assisted opening with flipper
<b>LOCK</b>	Liner lock
<b>POCKETCLIP</b>	3-position (right/left, tip-up; right, tip-down)
<b>FEATURES</b>	Lanyard hole



## BRAWLER

1990

a KERSHAW ORIGINALS design



<b>STEEL</b>	8Cr13MoV, black-oxide coating
<b>HANDLE</b>	Glass-filled nylon
<b>BLADE</b>	3 in. (7.6 cm)
<b>CLOSED</b>	4.1 in. (10.5 cm)
<b>OVERALL</b>	7.1 in. (18 cm)
<b>WEIGHT</b>	3.9 oz. (111 g)
<b>BOX</b>	087171033044
<b>CLAM</b>	087171033075

<b>OPENING</b>	Assisted opening with flipper
<b>LOCK</b>	Liner lock
<b>POCKETCLIP</b>	4-position (right/left, tip-up/down)



## DUOJET

8300

a KERSHAW ORIGINALS design



<b>STEEL</b>	8Cr13MoV, titanium carbo-nitride coating
<b>HANDLE</b>	Stainless steel, titanium carbo-nitride coating, dual carbon fiber inlays front
<b>BLADE</b>	3.25 in. (8.3 cm)
<b>CLOSED</b>	4.5 in. (11.4 cm)
<b>OVERALL</b>	7.75 in. (19.7 cm)
<b>WEIGHT</b>	4.8 oz. (137 g)
<b>BOX</b>	087171051956
<b>CLAM</b>	-

<b>OPENING</b>	Assisted opening with flipper or thumb stud
<b>LOCK</b>	Frame lock
<b>POCKETCLIP</b>	Single-position deep-carry (right, tip-down)
<b>FEATURES</b>	Lanyard hole



## FRINGE


8310

a KERSHAW ORIGINALS design



<b>STEEL</b>	8Cr13MoV, titanium carbo-nitride coating
<b>HANDLE</b>	Stainless steel, titanium carbo-nitride coating, carbon fiber inlay front
<b>BLADE</b>	3 in. (7.6 cm)
<b>CLOSED</b>	4.1 in. (10.5 cm)
<b>OVERALL</b>	7 in. (17.8 cm)
<b>WEIGHT</b>	3.5 oz. (101 g)
<b>BOX</b>	087171052281
<b>CLAM</b>	087171052786

<b>OPENING</b>	Assisted opening with flipper or thumb stud
<b>LOCK</b>	Frame lock
<b>POCKETCLIP</b>	Single-position deep-carry (right, tip-down)
<b>FEATURES</b>	Lanyard hole



## GRID

2200

a KERSHAW ORIGINALS design



<b>STEEL</b>	8Cr13MoV, black-oxide coating
<b>HANDLE</b>	Stainless steel, titanium carbo-nitride coating
<b>BLADE</b>	3.7 in. (9.4 cm)
<b>CLOSED</b>	4.5 in. (11.4 cm)
<b>OVERALL</b>	8.4 in. (21.3 cm)
<b>WEIGHT</b>	5.3 oz. (150 g)
<b>BOX</b>	087171040912
<b>CLAM</b>	087171045597

<b>OPENING</b>	Assisted opening with flipper or thumb stud
<b>LOCK</b>	Frame lock
<b>POCKETCLIP</b>	Reversible (right/left, tip-up)



**ERIS**

1881

a KERSHAW ORIGINALS design



<b>STEEL</b>	8Cr13MoV, stonewashed finish with satin flats
<b>HANDLE</b>	Stainless steel, titanium carbo-nitride coating
<b>BLADE</b>	3 in. (7.6 cm)
<b>CLOSED</b>	4.1 in. (10.4 cm)
<b>OVERALL</b>	7.2 in. (18.1 cm)
<b>WEIGHT</b>	4.7 oz. (133 g)
<b>BOX</b>	087171047737
<b>CLAM</b>	-

<b>OPENING</b>	Assisted opening with flipper
<b>LOCK</b>	Frame lock
<b>POCKETCLIP</b>	Reversible (right/left, tip-up)
<b>FEATURES</b>	Lanyard hole

**FATBACK**

1935

a KERSHAW ORIGINALS design



<b>STEEL</b>	8Cr13MoV, black-oxide coating
<b>HANDLE</b>	Glass-filled nylon
<b>BLADE</b>	3.5 in. (8.9 cm)
<b>CLOSED</b>	4.25 in. (10.8 cm)
<b>OVERALL</b>	7.75 in. (19.7 cm)
<b>WEIGHT</b>	3.6 oz. (102 g)
<b>BOX</b>	087171046105
<b>CLAM</b>	087171045740

<b>OPENING</b>	Assisted opening with flipper
<b>LOCK</b>	Liner lock
<b>POCKETCLIP</b>	4-position deep-carry (right/left, tip-up/down)

**OUTRIGHT**

8320

a KERSHAW ORIGINALS design



<b>STEEL</b>	8Cr13MoV, blue PVD coating
<b>HANDLE</b>	Stainless steel, blue PVD coating, G10 overlay front
<b>BLADE</b>	3 in. (7.6 cm)
<b>CLOSED</b>	4.4 in. (11.1 cm)
<b>OVERALL</b>	7.1 in. (18.1 cm)
<b>WEIGHT</b>	4 oz. (114 g)
<b>BOX</b>	087171052298
<b>CLAM</b>	-

<b>OPENING</b>	Assisted opening with flipper
<b>LOCK</b>	Frame lock
<b>POCKETCLIP</b>	Single-position deep-carry (right, tip-down)

**OUTRIGHT - BLACK**

8320BLK

a KERSHAW ORIGINALS design



<b>STEEL</b>	8Cr13MoV, black PVD coating
<b>HANDLE</b>	Stainless steel, black PVD coating, G10 overlay front
<b>BLADE</b>	3 in. (7.6 cm)
<b>CLOSED</b>	4.4 in. (11.1 cm)
<b>OVERALL</b>	7.1 in. (18.1 cm)
<b>WEIGHT</b>	4 oz. (114 g)
<b>BOX</b>	087171061061
<b>CLAM</b>	-

<b>OPENING</b>	Assisted opening with flipper or thumb stud
<b>LOCK</b>	Frame lock
<b>POCKETCLIP</b>	Single-position deep-carry (right, tip-down)

**FLOURISH**

3935

a KERSHAW ORIGINALS design



<b>STEEL</b>	8Cr13MoV, black-oxide BlackWash™ finish with satin flats
<b>HANDLE</b>	G10 with carbon fiber overlay
<b>BLADE</b>	3.5 in. (8.9 cm)
<b>CLOSED</b>	5 in. (12.7 cm)
<b>OVERALL</b>	8.5 in. (21.6 cm)
<b>WEIGHT</b>	5.3 oz. (150 g)
<b>BOX</b>	087171048512
<b>CLAM</b>	-

<b>OPENING</b>	Assisted opening with flipper
<b>LOCK</b>	Liner lock
<b>POCKETCLIP</b>	Reversible (right/left, tip-up)
<b>FEATURES</b>	Lanyard hole




## TERRAN

2080  
a KERSHAW ORIGINALS design

<b>STEEL</b>	8Cr13MoV, bead-blasted finish
<b>HANDLE</b>	Stainless steel, bead-blasted finish
<b>BLADE</b>	3.125 in. (7.9 cm)
<b>CLOSED</b>	4 in. (10.2 cm)
<b>OVERALL</b>	7.125 in. (18.1 cm)
<b>WEIGHT</b>	3.5 oz. (100 g)
<b>BOX</b>	087171059358
<b>CLAM</b>	-

<b>OPENING</b>	Assisted opening with flipper
<b>LOCK</b>	Frame lock
<b>POCKETCLIP</b>	Reversible deep-carry (right/left, tip-up)



## OBLIVION

3860  
a KERSHAW ORIGINALS design

<b>STEEL</b>	8Cr13MoV, stonewashed finish
<b>HANDLE</b>	Stainless steel, bead-blasted & stonewashed finish, glass-filled nylon inserts
<b>BLADE</b>	3.5 in. (9 cm)
<b>CLOSED</b>	4.6 in. (11.8 cm)
<b>OVERALL</b>	8.1 in. (20.6 cm)
<b>WEIGHT</b>	5.1 oz. (146 g)
<b>BOX</b>	087171054841
<b>CLAM</b>	087171057903

<b>OPENING</b>	Assisted opening with flipper
<b>LOCK</b>	Frame lock, lockbar-overtravel stop
<b>POCKETCLIP</b>	Reversible deep-carry pocketclip (right/left, tip-up)
<b>FEATURES</b>	Decorative pivot cap, lanyard hole



## BARSTOW

3960  
a KERSHAW ORIGINALS design

<b>STEEL</b>	8Cr13MoV, black-oxide BlackWash™ finish
<b>HANDLE</b>	Glass-filled nylon
<b>BLADE</b>	3 in. (7.6 cm)
<b>CLOSED</b>	4 in. (10.1 cm)
<b>OVERALL</b>	7 in. (17.7 cm)
<b>WEIGHT</b>	3.4 oz. (98 g)
<b>BOX</b>	087171048628
<b>CLAM</b>	087171050454

<b>OPENING</b>	Assisted opening with flipper
<b>LOCK</b>	Liner lock
<b>POCKETCLIP</b>	Reversible deep-carry (right/left, tip-up)
<b>FEATURES</b>	Anodized aluminum accents Single-edge sharpened



## FLITCH

3930  
a KERSHAW ORIGINALS design

<b>STEEL</b>	8Cr13MoV, stonewashed finish
<b>HANDLE</b>	Glass-filled nylon
<b>BLADE</b>	3.25 in. (8.3 cm)
<b>CLOSED</b>	4.6 in. (11.7 cm)
<b>OVERALL</b>	7.75 in. (19.7 cm)
<b>WEIGHT</b>	4.7 oz. (133 g)
<b>BOX</b>	087171048505
<b>CLAM</b>	-

<b>OPENING</b>	Assisted opening with flipper
<b>LOCK</b>	Liner lock
<b>POCKETCLIP</b>	Reversible deep-carry (right/left, tip-up)



## EMBER

3560  
a RICK HINDERER design

<b>STEEL</b>	8Cr13MoV, titanium carbo-nitride coating
<b>HANDLE</b>	Stainless steel, titanium carbo-nitride coating
<b>BLADE</b>	2 in. (5.1 cm)
<b>CLOSED</b>	2.8 in. (7.1 cm)
<b>OVERALL</b>	4.75 in. (12.1 cm)
<b>WEIGHT</b>	2.2 oz. (62 g)
<b>BOX</b>	087171036908
<b>CLAM</b>	087171036892

<b>OPENING</b>	Assisted opening with flipper
<b>LOCK</b>	Frame lock
<b>POCKETCLIP</b>	3-position deep-carry (right/left, tip-up; right, tip-down)





## CRYO II

1556TI

a RICK HINDERER design

<b>STEEL</b>	8Cr13MoV, titanium carbo-nitride coating
<b>HANDLE</b>	410 stainless steel, titanium carbo-nitride coating
<b>BLADE</b>	3.25 in. (8.3 cm)
<b>CLOSED</b>	4.4 in. (11.2 cm)
<b>OVERALL</b>	7.75 in. (19.7 cm)
<b>WEIGHT</b>	5.5 oz. (156 g)
<b>BOX</b>	087171034706
<b>CLAM</b>	087171034713



<b>OPENING</b>	Assisted opening with flipper or thumb stud
<b>LOCK</b>	Frame lock with lockbar stabilizer
<b>POCKETCLIP</b>	4-position deep-carry (right/left, tip-up/down)
<b>FEATURES</b>	Lanyard hole

## CRYO II - BLACKWASH™

1556BW

a RICK HINDERER design

<b>STEEL</b>	8Cr13MoV, black-oxide BlackWash™ finish
<b>HANDLE</b>	410 stainless steel, black-oxide BlackWash™ finish
<b>BLADE</b>	3.25 in. (8.3 cm)
<b>CLOSED</b>	4.4 in. (11.2 cm)
<b>OVERALL</b>	7.75 in. (19.7 cm)
<b>WEIGHT</b>	5.5 oz. (156 g)
<b>BOX</b>	087171036236
<b>CLAM</b>	-



## CRYO

1555TI  
a RICK HINDERER design

<b>STEEL</b>	8Cr13MoV, titanium carbo-nitride coating
<b>HANDLE</b>	410 stainless steel, titanium carbo-nitride coating
<b>BLADE</b>	2.75 in. (7 cm)
<b>CLOSED</b>	3.75 in. (9.5 cm)
<b>OVERALL</b>	6.5 in. (16.5 cm)
<b>WEIGHT</b>	4.1 oz. (116 g)
<b>BOX</b>	087171033686
<b>CLAM</b>	087171033693



## CRYO - BLACKWASH™

1555BW  
a RICK HINDERER design

<b>STEEL</b>	8Cr13MoV, black-oxide BlackWash™ finish
<b>HANDLE</b>	410 stainless steel, black-oxide BlackWash™ finish
<b>BLADE</b>	2.75 in. (7 cm)
<b>CLOSED</b>	3.75 in. (9.5 cm)
<b>OVERALL</b>	6.5 in. (16.5 cm)
<b>WEIGHT</b>	4.1 oz. (116 g)
<b>BOX</b>	087171037530
<b>CLAM</b>	087171036830



## CRYO - G10

1555G10  
a RICK HINDERER design

<b>STEEL</b>	8Cr13MoV, stonewashed finish
<b>HANDLE</b>	G10 front, stainless steel back, stonewashed finish
<b>BLADE</b>	2.75 in. (7 cm)
<b>CLOSED</b>	3.75 in. (9.5 cm)
<b>OVERALL</b>	6.5 in. (16.5 cm)
<b>WEIGHT</b>	3.7 oz. (105 g)
<b>BOX</b>	087171036731
<b>CLAM</b>	087171036748



## FERRITE

1557TI  
a RICK HINDERER design

<b>STEEL</b>	8Cr13MoV, titanium carbo-nitride coating
<b>HANDLE</b>	Stainless steel, titanium carbo-nitride coating
<b>BLADE</b>	3.3 in. (8.4 cm)
<b>CLOSED</b>	4.25 in. (10.8 cm)
<b>OVERALL</b>	7.5 in. (19.1 cm)
<b>WEIGHT</b>	4.2 oz. (119 g)
<b>BOX</b>	087171044781
<b>CLAM</b>	087171045610



## DECIMUS

1559  
a RICK HINDERER design

<b>STEEL</b>	8Cr13MoV, black-oxide BlackWash™ finish
<b>HANDLE</b>	Stainless steel with stonewashed finish, glass-filled nylon overlay
<b>BLADE</b>	3.25 in. (8.3 cm)
<b>CLOSED</b>	4.25 in. (10.8 cm)
<b>OVERALL</b>	7.5 in. (19.1 cm)
<b>WEIGHT</b>	4.3 oz. (123 g)
<b>BOX</b>	087171052380
<b>CLAM</b>	-



**CLASH - BLACK, SERRATED**1605CKTST  
a KEN ONION design

<b>STEEL</b>	8Cr13MoV, black-oxide coating
<b>HANDLE</b>	Glass-filled nylon
<b>BLADE</b>	3.1 in. (7.9 cm)
<b>CLOSED</b>	4.25 in. (10.7 cm)
<b>OVERALL</b>	7.4 in. (18.7 cm)
<b>WEIGHT</b>	4.3 oz. (122 g)
<b>BOX</b>	087171031491
<b>CLAM</b>	-

**OSO SWEET**1830  
a KEN ONION design

<b>STEEL</b>	8Cr13MoV, satin finish
<b>HANDLE</b>	Glass-filled nylon
<b>BLADE</b>	3 in. (7.6 cm)
<b>CLOSED</b>	4.1 in. (10.5 cm)
<b>OVERALL</b>	7.1 in. (18 cm)
<b>WEIGHT</b>	2.8 oz. (80 g)
<b>BOX</b>	087171183008
<b>CLAM</b>	087171183015

**BOILERMAKER**3475  
a LES GEORGE design

<b>STEEL</b>	8Cr13MoV, brown PVD coating, stonewashed finish
<b>HANDLE</b>	Stainless steel, brown PVD coating, stonewashed finish
<b>BLADE</b>	3.3 in. (8.5 cm)
<b>CLOSED</b>	4.25 in. (10.8 cm)
<b>OVERALL</b>	7.6 in. (19.2 cm)
<b>WEIGHT</b>	4.4 oz. (127 g)
<b>BOX</b>	087171054797
<b>CLAM</b>	087171055961

**RJ TACTICAL 3.0**1987  
a RJ MARTIN design

<b>STEEL</b>	8Cr13MoV, black-oxide coating
<b>HANDLE</b>	Glass-filled nylon
<b>BLADE</b>	3 in. (7.6 cm)
<b>CLOSED</b>	4 in. (10.2 cm)
<b>OVERALL</b>	6.9 in. (17.5 cm)
<b>WEIGHT</b>	2.8 oz. (79 g)
<b>BOX</b>	087171039336
<b>CLAM</b>	087171039794

**VOLT II**3650ST • 3650  
an RJ MARTIN design

<b>STEEL</b>	8Cr13MoV, bead-blasted finish
<b>HANDLE</b>	Glass-filled nylon
<b>BLADE</b>	3.25 in. (8.3 cm)
<b>CLOSED</b>	3.9 in. (9.8 cm)
<b>OVERALL</b>	7.1 in. (18 cm)
<b>WEIGHT</b>	3.3 oz. (94 g)
<b>BOX</b>	087171031088 serrated 087171031071 plain
<b>CLAM</b>	087171031385 serrated 087171031361 plain



## VOLT II - BLACK, SERRATED

3650CKTST  
an RJ MARTIN design

<b>STEEL</b>	8Cr13MoV, black-oxide coating
<b>HANDLE</b>	Glass-filled nylon
<b>BLADE</b>	3.25 in. (8.3 cm)
<b>CLOSED</b>	3.9 in. (9.8 cm)
<b>OVERALL</b>	7.1 in. (18 cm)
<b>WEIGHT</b>	3.3 oz. (94 g)
<b>BOX</b>	087171031477
<b>CLAM</b>	087171031620



## VOLT SS

3655  
an RJ MARTIN design

<b>STEEL</b>	8Cr13MoV, bead-blasted finish
<b>HANDLE</b>	Stainless steel, bead-blasted finish
<b>BLADE</b>	3.5 in. (8.9 cm)
<b>CLOSED</b>	4.25 in. (10.8 cm)
<b>OVERALL</b>	7.75 in. (19.7 cm)
<b>WEIGHT</b>	4.3 oz. (122 g)
<b>BOX</b>	087171033785
<b>CLAM</b>	087171033792



## ZING SS

1730SS  
an RJ MARTIN design

<b>STEEL</b>	8Cr13MoV, bead-blasted finish
<b>HANDLE</b>	410 stainless steel, bead-blasted finish
<b>BLADE</b>	3 in. (7.6 cm)
<b>CLOSED</b>	3.9 in. (9.8 cm)
<b>OVERALL</b>	6.9 in. (17.5 cm)
<b>WEIGHT</b>	3.3 oz. (94 g)
<b>BOX</b>	087171033518
<b>CLAM</b>	087171033525



## AMPLITUDE 2.5

3870  
a TODD REXFORD design

<b>STEEL</b>	8Cr13MoV, satin finish
<b>HANDLE</b>	Stainless steel, titanium carbo-nitride coating
<b>BLADE</b>	2.5 in. (6.4 cm)
<b>CLOSED</b>	3.5 in. (8.9 cm)
<b>OVERALL</b>	6 in. (15.2 cm)
<b>WEIGHT</b>	2.6 oz. (74 g)
<b>BOX</b>	087171036816
<b>CLAM</b>	087171036823



## SHOWTIME

1955  
a TODD REXFORD design

<b>STEEL</b>	8Cr13MoV, black-oxide coating with satin flats
<b>HANDLE</b>	Stainless steel, black-oxide coating
<b>BLADE</b>	3 in. (7.6 cm)
<b>CLOSED</b>	4 in. (10.2 cm)
<b>OVERALL</b>	6.75 in. (17.1 cm)
<b>WEIGHT</b>	3.7 oz. (105 g)
<b>BOX</b>	087171044774
<b>CLAM</b>	087171044927



# EDC-MANUAL SECTION

## OVERVIEW

43 TOTAL • 12 NEW  
6 MADE IN USA  
28 ORIGINAL DESIGNS  
14 PREMIUM BLADE STEEL



Manual-opening knives can be opened with a thumb stud, flipper, sliding button, or hollow in the blade. Some also feature our KVT ball-bearing opening that enables the blade to move out of the handle smoothly when you pull back on the flipper. KVT makes opening manual knives as easy as assisted.

NEW

## INTERSTELLAR

1195  
a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, black-oxide BlackWash™ finish
HANDLE	Glass-filled nylon
BLADE	2.7 in. (6.9 cm)
CLOSED	4.25 in. (10.8 cm)
OVERALL	6.9 in. (17.5 cm)
WEIGHT	3.1 oz. (88 g)
BOX	087171063225
CLAM	-



NEW

## NOVENTA

2060  
a KERSHAW ORIGINALS design

STEEL	D2, black-oxide coating, satin flats
HANDLE	Stainless steel, stonewashed finish, black-oxide coating
BLADE	3.3 in. (8.4 cm)
CLOSED	4.55 in. (11.6 cm)
OVERALL	7.75 in. (19.7 cm)
WEIGHT	4 oz. (113 g)
BOX	087171063621
CLAM	-




NEW

## CARGO

2033  
a KERSHAW ORIGINALS design

STEEL	D2, stonewashed finish
HANDLE	Glass-filled nylon
BLADE	3.2 in. (8.1 cm)
CLOSED	4.3 in. (10.9 cm)
OVERALL	7.5 in. (19.1 cm)
WEIGHT	2.3 oz. (65 g)
BOX	087171063225
CLAM	-



NEW

## DEBRIS

2034  
a KERSHAW ORIGINALS design

STEEL	D2, stonewashed finish
HANDLE	Glass-filled nylon
BLADE	2.75 in. (7 cm)
CLOSED	3.75 in. (9.5 cm)
OVERALL	6.5 in. (16.5 cm)
WEIGHT	2 oz. (57 g)
BOX	087171063232
CLAM	-



NEW

## FEDERALIST

4320  
a KERSHAW ORIGINALS design

STEEL	CPM 154, stonewashed finish
HANDLE	Canvas micarta handle, stonewashed finish
BLADE	3.25 in. (8.3 cm)
CLOSED	4.25 in. (10.8 cm)
OVERALL	7.5 in. (19.1 cm)
WEIGHT	2.1 oz. (60 g)
BOX	087171062099
CLAM	-



## NEW

## ESTEEM

2032

a KERSHAW ORIGINALS design



STEEL	8Cr13MoV, bead-blasted finish
HANDLE	Stainless steel, bead-blasted finish, polished G10 overlays
BLADE	2.5 in. (6.4 cm)
CLOSED	3.4 in. (8.6 cm)
OVERALL	5.9 in. (15 cm)
WEIGHT	1.9 oz. (54 g)
BOX	087171062143
CLAM	-



## NEW

## INCEPTION

2031

a KERSHAW ORIGINALS design



STEEL	D2, stonewashed finish
HANDLE	G10
BLADE	3.25 in. (8.3 cm)
CLOSED	4 in. (10.2 cm)
OVERALL	7.25 in. (18.4 cm)
WEIGHT	3.1 oz. (88 g)
BOX	087171062112
CLAM	-

OPENING	Manual KVT ball-bearing opening with flipper
LOCK	Liner lock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Decorative pivot cap, lanyard hole



## NEW

## PARLEY

4384

a KERSHAW ORIGINALS design



STEEL	7Cr17MoV, satin finish
HANDLE	Canvas micarta, polished finish, stainless steel bolster, satin finish
BLADE	3.1 in. (7.9 cm)
CLOSED	4.1 in. (10.4 cm)
OVERALL	7.2 in. (18.3 cm)
WEIGHT	2.8 oz. (79 g)
BOX	087171061771
CLAM	087171063942

OPENING	Manual slipjoint with nail nick
LOCK	Slipjoint
FEATURES	Lanyard hole with brass trim ring, brass liners



## NEW

## ALLEGORY

4385

a KERSHAW ORIGINALS design



STEEL	7Cr17MoV, satin finish
HANDLE	Canvas micarta, polished finish, stainless steel bolsters, satin finish
BLADE	3.1 in. (7.9 cm) • 3.1 in. (7.9 cm)
CLOSED	4 in. (10.2 cm)
OVERALL	7.1 in. (18 cm)
WEIGHT	2.7 oz. (77 g)
BOX	087171061788
CLAM	-

OPENING	Manual slipjoint with nail nick
LOCK	Slipjoint
FEATURES	2 blades, steel liners



## NEW

## IREDALE

4386

a KERSHAW ORIGINALS design



STEEL	7Cr17MoV, satin finish
HANDLE	Canvas micarta, polished finish, stainless steel bolsters, satin finish
BLADE	2.6 in. (6.6 cm) • 2.2 in. (5.6 cm) • 1.6 in. (4.1 cm)
CLOSED	3.6 in. (9.1 cm)
OVERALL	6.2 in. (15.7 cm)
WEIGHT	2.2 oz. (62 g)
BOX	087171061795
CLAM	087171064413

OPENING	Manual slipjoint with nail nick
LOCK	Slipjoint
FEATURES	3 blades, brass liners



## GADSDEN

4381

a KERSHAW ORIGINALS design



STEEL	7Cr17MoV, satin finish
HANDLE	G10, polished
BLADE	2.75 in. (7 cm) • 2.75 in. (7 cm)
CLOSED	3.5 in. (8.9 cm)
OVERALL	6.25 in. (16 cm)
WEIGHT	2.7 oz. (77 g)
BOX	087171058214
CLAM	-



## BRANDYWINE

4382

a KERSHAW ORIGINALS design



STEEL	7Cr17MoV, satin finish
HANDLE	G10, polished
BLADE	2.6 in. (6.6 cm) • 1.8 in. (4.7 cm) • 1.9 in. (5 cm)
CLOSED	3.5 in. (8.9 cm)
OVERALL	6.2 in. (15.8 cm)
WEIGHT	2.3 oz. (65 g)
BOX	087171058207
CLAM	-



## CULPEPPER

4383

a KERSHAW ORIGINALS design



STEEL	7Cr17MoV, satin finish
HANDLE	G10, polished
BLADE	3.25 in. (8.3 cm)
CLOSED	4.125 in. (10.6 cm)
OVERALL	7.4 in. (18.7 cm)
WEIGHT	3 oz. (85 g)
BOX	087171058283
CLAM	087171060477



## ENDGAME

2095

a KERSHAW ORIGINALS design



STEEL	D2, stonewashed finish
HANDLE	Stainless steel with glass-filled nylon insert, bead-blasted finish
BLADE	3.25 in. (8.3 cm)
CLOSED	4.25 in. (10.8 cm)
OVERALL	7.5 in. (19.1 cm)
WEIGHT	3.9 oz. (111 g)
BOX	087171060705
CLAM	-





**NEW****MOONSAULT**

5050

a KERSHAW ORIGINALS design



<b>STEEL</b>	14C28N, working finish
<b>HANDLE</b>	Stainless steel, working finish
<b>BLADE</b>	4.6 in. (11.7 cm)
<b>CLOSED</b>	5.9 in. (15 cm)
<b>OVERALL</b>	10.25 in. (26 cm)
<b>WEIGHT</b>	6.1 oz. (173 g)
<b>BOX</b>	087171064314
<b>CLAM</b>	-

<b>OPENING</b>	Dual KVT ball-bearing opening
<b>LOCK</b>	Latch
<b>POCKETCLIP</b>	-
<b>FEATURES</b>	Anti-stick latch with rounded head profile, steel internal stop pins

**NEW****LUCHA - CARBON FIBER**

5150CF

a KERSHAW ORIGINALS design



<b>STEEL</b>	CPM 20CV, working finish
<b>HANDLE</b>	Titanium, blue anodized finish, carbon fiber overlays
<b>BLADE</b>	4.6 in. (11.7 cm)
<b>CLOSED</b>	5.8 in. (15 cm)
<b>OVERALL</b>	10.25 in. (26 cm)
<b>WEIGHT</b>	4.9 oz. (139 g)
<b>BOX</b>	087171063287

<b>OPENING</b>	Dual KVT ball-bearing opening
<b>LOCK</b>	Latch
<b>POCKETCLIP</b>	-
<b>FEATURES</b>	Anti-stick latch with rounded head profile, steel internal stop pins

**LUCHA - TRAINER**

5150TR

a KERSHAW ORIGINALS design



<b>STEEL</b>	14C28N, stonewashed finish
<b>HANDLE</b>	Stainless steel, bead-blasted finish
<b>BLADE</b>	4.6 in. (11.7 cm) unsharpened
<b>CLOSED</b>	5.8 in. (15 cm)
<b>OVERALL</b>	10.25 in. (26 cm)
<b>WEIGHT</b>	6 oz. (170 g)
<b>BOX</b>	087171060187

<b>OPENING</b>	Dual KVT ball-bearing opening
<b>LOCK</b>	Latch
<b>POCKETCLIP</b>	-
<b>FEATURES</b>	Unsharpened edge, rounded tip, anti-stick latch with rounded head profile, steel internal stop pins

**LUCHA - BLACKWASH™**

5150BW

a KERSHAW ORIGINALS design



<b>STEEL</b>	14C28N, black-oxide BlackWash™ finish
<b>HANDLE</b>	Stainless steel, black-oxide BlackWash™ finish
<b>BLADE</b>	4.6 in. (11.7 cm)
<b>CLOSED</b>	5.8 in. (15 cm)
<b>OVERALL</b>	10.25 in. (26 cm)
<b>WEIGHT</b>	5.9 oz. (168 g)
<b>BOX</b>	087171060446

<b>OPENING</b>	Dual KVT ball-bearing opening
<b>LOCK</b>	Latch
<b>POCKETCLIP</b>	-
<b>FEATURES</b>	Anti-stick latch with rounded head profile, steel internal stop pins

**LUCHA**

5150

a KERSHAW ORIGINALS design



<b>STEEL</b>	14C28N, stonewashed finish
<b>HANDLE</b>	Stainless steel, bead-blasted finish
<b>BLADE</b>	4.6 in. (11.7 cm)
<b>CLOSED</b>	5.8 in. (15 cm)
<b>OVERALL</b>	10.25 in. (26 cm)
<b>WEIGHT</b>	5.9 oz. (168 g)
<b>BOX</b>	087171058412

<b>OPENING</b>	Dual KVT ball-bearing opening
<b>LOCK</b>	Latch
<b>POCKETCLIP</b>	-
<b>FEATURES</b>	Anti-stick latch with rounded head profile, steel internal stop pins

## STRATA

2076

a KERSHAW ORIGINALS design



<b>STEEL</b>	D2, bead-blasted finish
<b>HANDLE</b>	G10 front, stainless steel back, bead-blasted finish
<b>BLADE</b>	4.5 in. (11.4 cm)
<b>CLOSED</b>	5.4 in. (13.7 cm)
<b>OVERALL</b>	9.9 in. (25.1 cm)
<b>WEIGHT</b>	3.7 oz. (105 g)
<b>BOX</b>	087171060651
<b>CLAM</b>	-



## STRATA XL

2077

a KERSHAW ORIGINALS design



<b>STEEL</b>	D2, bead-blasted finish
<b>HANDLE</b>	G10 front, stainless steel back, bead-blasted finish
<b>BLADE</b>	5.4 in. (13.7 cm)
<b>CLOSED</b>	6.6 in. (16.7 cm)
<b>OVERALL</b>	12 in. (30.5 cm)
<b>WEIGHT</b>	5.8 oz. (164 g)
<b>BOX</b>	087171060668
<b>CLAM</b>	-

<b>OPENING</b>	Manual KVT ball-bearing opening with flipper
<b>LOCK</b>	Frame lock
<b>POCKETCLIP</b>	Single-position extra-deep-carry (right, tip-up)
<b>FEATURES</b>	Copper anodized decorative pivot cap and tube spacers



## HIGHBALL XL

7020

a KERSHAW ORIGINALS design



<b>STEEL</b>	D2, bead-blasted finish
<b>HANDLE</b>	Stainless steel, bead-blasted finish
<b>BLADE</b>	3.3 in. (8.4 cm)
<b>CLOSED</b>	4.3 in. (10.9 cm)
<b>OVERALL</b>	7.5 in. (19.1 cm)
<b>WEIGHT</b>	3.8 oz. (108 g)
<b>BOX</b>	087171060897
<b>CLAM</b>	-



## REVERB

1220

a KERSHAW ORIGINALS design



<b>STEEL</b>	8Cr13MoV, titanium carbo-nitride coating with satin flats
<b>HANDLE</b>	G10, carbon fiber overlay front; steel back, titanium carbo-nitride coating
<b>BLADE</b>	2.5 in. (6.4 cm)
<b>CLOSED</b>	3.25 in. (8.3 cm)
<b>OVERALL</b>	6.1 in. (15.6 cm)
<b>WEIGHT</b>	1.6 oz. (46 g)
<b>BOX</b>	087171048642
<b>CLAM</b>	087171048765



## FAULTLINE

8760

a KERSHAW ORIGINALS design




<b>STEEL</b>	8Cr13MoV, black-oxide coating
<b>HANDLE</b>	Glass-filled nylon, rubber insert
<b>BLADE</b>	3 in. (7.6 cm)
<b>CLOSED</b>	4 in. (10.2 cm)
<b>OVERALL</b>	7 in. (17.8 cm)
<b>WEIGHT</b>	3.4 oz. (99 g)
<b>BOX</b>	087171052762
<b>CLAM</b>	087171053516



**KAPSULE**1190  
a JENS ANSØ design

<b>STEEL</b>	8Cr13MoV, stonewashed finish
<b>HANDLE</b>	Glass-filled nylon
<b>BLADE</b>	1.9 in. (4.8 cm)
<b>CLOSED</b>	3.25 in. (8.3 cm)
<b>OVERALL</b>	5 in. (12.7 cm)
<b>WEIGHT</b>	2 oz. (57 g)
<b>BOX</b>	087171060644
<b>CLAM</b>	087171062464

**DECIBEL**2045  
a KERSHAW ORIGINALS design

<b>STEEL</b>	8Cr13MoV, titanium carbo-nitride coating
<b>HANDLE</b>	Stainless steel, titanium carbo-nitride coating
<b>BLADE</b>	3 in. (7.6 cm)
<b>CLOSED</b>	3.75 in. (9.6 cm)
<b>OVERALL</b>	6.6 in. (16.8 cm)
<b>WEIGHT</b>	2.9 oz. (83 g)
<b>BOX</b>	087171055152
<b>CLAM</b>	087171056548

**NATRIX - COPPER XS**7006CU  
a KERSHAW ORIGINALS design

<b>STEEL</b>	D2, stonewashed finish
<b>HANDLE</b>	Copper, stonewashed finish
<b>BLADE</b>	2.75 in. (7 cm)
<b>CLOSED</b>	3.6 in. (9.3 cm)
<b>OVERALL</b>	6.4 in. (16.2 cm)
<b>WEIGHT</b>	3.2 oz. (92 g)
<b>BOX</b>	087171052472
<b>CLAM</b>	-

<b>OPENING</b>	Manual on washers opening with thumb stud
<b>LOCK</b>	Frame lock
<b>POCKETCLIP</b>	Reversible (right/left, tip-up)
<b>FEATURES</b>	Decorative pivot cap & collar, weight-relieving handle window

**NATRIX**7007  
a KERSHAW ORIGINALS design

<b>STEEL</b>	8Cr13MoV, stonewashed finish
<b>HANDLE</b>	G10
<b>BLADE</b>	3.25 in. (8.3 cm)
<b>CLOSED</b>	4.25 in. (10.8 cm)
<b>OVERALL</b>	7.5 in. (19.1 cm)
<b>WEIGHT</b>	2.9 oz. (82 g)
<b>BOX</b>	087171049076
<b>CLAM</b>	-

<b>OPENING</b>	Manual KVT ball-bearing opening with flipper
<b>LOCK</b>	Sub-Frame Lock
<b>POCKETCLIP</b>	Reversible deep-carry (right/left, tip-up)
<b>FEATURES</b>	Decorative pivot

**STATIC**3445  
a KERSHAW ORIGINALS design

<b>STEEL</b>	8Cr13MoV, satin finish
<b>HANDLE</b>	Stainless steel, gray PVD coating
<b>BLADE</b>	2.9 in. (7.4 cm)
<b>CLOSED</b>	3.9 in. (9.8 cm)
<b>OVERALL</b>	6.75 in. (17.1 cm)
<b>WEIGHT</b>	4 oz. (113 g)
<b>BOX</b>	087171055749
<b>CLAM</b>	087171059037

<b>OPENING</b>	Manual KVT ball-bearing opening with flipper
<b>LOCK</b>	Frame lock
<b>POCKETCLIP</b>	Reversible deep-carry (right/left, tip-up)
<b>FEATURES</b>	Weight-relieving handle window



**CHILL**3410  
an RJ MARTIN design

<b>STEEL</b>	8Cr13MoV, bead-blasted finish
<b>HANDLE</b>	G10
<b>BLADE</b>	3.1 in. (7.9 cm)
<b>CLOSED</b>	3.9 in. (9.8 cm)
<b>OVERALL</b>	7 in. (17.8 cm)
<b>WEIGHT</b>	2 oz. (57 g)
<b>BOX</b>	087171030432
<b>CLAM</b>	087171030456

**ATMOS**4037  
a DMITRY SINKEVICH design

<b>STEEL</b>	8Cr13MoV, satin finish with satin sanded flats
<b>HANDLE</b>	G10, carbon fiber overlay
<b>BLADE</b>	3 in. (7.6 cm)
<b>CLOSED</b>	4 in. (10.2 cm)
<b>OVERALL</b>	6.9 in. (17.5 cm)
<b>WEIGHT</b>	1.9 oz. (54 g)
<b>BOX</b>	087171052236
<b>CLAM</b>	087171052793



**METHOD**1170  
a JENS ANSØ design

<b>STEEL</b>	8Cr13MoV, black-oxide BlackWash™ finish
<b>HANDLE</b>	G10
<b>BLADE</b>	3 in. (7.6 cm)
<b>CLOSED</b>	4.25 in. (10.8 cm)
<b>OVERALL</b>	7.25 in. (18.4 cm)
<b>WEIGHT</b>	2.2 oz. (63 g)
<b>BOX</b>	087171052229
<b>CLAM</b>	-

**XCOM**3425  
a LES GEORGE design

<b>STEEL</b>	8Cr13MoV, black-oxide coating
<b>HANDLE</b>	Glass-filled nylon
<b>BLADE</b>	3.6 in. (9.2 cm)
<b>CLOSED</b>	4.4 in. (11.2 cm)
<b>OVERALL</b>	8 in. (20.2 cm)
<b>WEIGHT</b>	4.1 oz. (117 g)
<b>BOX</b>	087171054834
<b>CLAM</b>	087171055947

**AFTEREFFECT**1180  
a JENS ANSØ design

<b>STEEL</b>	8Cr13MoV, bead-blasted finish
<b>HANDLE</b>	Glass-filled nylon
<b>BLADE</b>	1.7 in. (4.4 cm)
<b>CLOSED</b>	3 in. (7.6 cm)
<b>OVERALL</b>	4.75 in. (12.1 cm)
<b>WEIGHT</b>	2.1 oz. (60 g)
<b>BOX</b>	087171058269
<b>CLAM</b>	-

<b>OPENING</b>	Manual opening with thumb disk
<b>LOCK</b>	Inset liner lock
<b>POCKETCLIP</b>	Reversible deep-carry (right/left, tip-up)
<b>FEATURES</b>	Lanyard hole

**CQC-4K**6054BRNBLK  
an ERNEST EMERSON design

<b>STEEL</b>	8Cr14MoV, black-oxide coating
<b>HANDLE</b>	G10 front; 410 stainless steel back, black-oxide coating
<b>BLADE</b>	3.25 in. (8.3 cm)
<b>CLOSED</b>	4.2 in. (10.7 cm)
<b>OVERALL</b>	7.4 in. (18.8 cm)
<b>WEIGHT</b>	4.1 oz. (116 g)
<b>BOX</b>	087171037592
<b>CLAM</b>	-

<b>OPENING</b>	Manual opening with thumb disk or Emerson wave shaped feature®
<b>LOCK</b>	Frame lock
<b>POCKETCLIP</b>	Reversible (right/left, tip-up)
<b>FEATURES</b>	Lanyard hole

**CQC-5K**60740LBLK  
an ERNEST EMERSON design

<b>STEEL</b>	8Cr14MoV, black-oxide coating
<b>HANDLE</b>	G10
<b>BLADE</b>	3 in. (7.6 cm)
<b>CLOSED</b>	4 in. (10.2 cm)
<b>OVERALL</b>	7.1 in. (18 cm)
<b>WEIGHT</b>	3.7 oz. (105 g)
<b>BOX</b>	087171037615
<b>CLAM</b>	-

<b>OPENING</b>	Manual opening with thumb disk or Emerson wave shaped feature®
<b>LOCK</b>	Liner lock
<b>POCKETCLIP</b>	Reversible (right/left, tip-up)
<b>FEATURES</b>	Lanyard hole



**CQC-7K**

6034T

an ERNEST EMERSON design



<b>STEEL</b>	8Cr14MoV, stonewashed finish with satin flats
<b>HANDLE</b>	G10 front; 410 stainless steel back, bead-blasted finish
<b>BLADE</b>	3.25 in. (8.3 cm)
<b>CLOSED</b>	4.5 in. (11.4 cm)
<b>OVERALL</b>	7.75 in. (19.7 cm)
<b>WEIGHT</b>	5 oz. (142 g)
<b>BOX</b>	087171037295
<b>CLAM</b>	-

**CQC-8K**

6044TBBLK

an ERNEST EMERSON design



<b>STEEL</b>	8Cr14MoV, black-oxide coating
<b>HANDLE</b>	G10
<b>BLADE</b>	3.5 in. (8.9 cm)
<b>CLOSED</b>	4.6 in. (11.7 cm)
<b>OVERALL</b>	8.1 in. (20.6 cm)
<b>WEIGHT</b>	5.3 oz. (152 g)
<b>BOX</b>	087171037318
<b>CLAM</b>	-

**E-TRAIN**

6034TRAINER

an ERNEST EMERSON design



<b>STEEL</b>	3Cr13, stonewashed finish
<b>HANDLE</b>	G10 front; 410 stainless steel back, bead-blasted finish
<b>BLADE</b>	3.2 in. (8.1 cm) unsharpened
<b>CLOSED</b>	4.5 in. (11.4 cm)
<b>OVERALL</b>	7.7 in. (19.6 cm)
<b>WEIGHT</b>	5.1 oz. (146 g)
<b>BOX</b>	08717039664
<b>CLAM</b>	-

**CQC-10K**

6030

an ERNEST EMERSON design



<b>STEEL</b>	8Cr14MoV, stonewashed finish
<b>HANDLE</b>	G10 front; 410 stainless steel back, bead-blasted finish
<b>BLADE</b>	3.5 in. (9 cm)
<b>CLOSED</b>	4.75 in. (12.1 cm)
<b>OVERALL</b>	8.5 in. (21.6 cm)
<b>WEIGHT</b>	5.1 oz. (146 g)
<b>BOX</b>	08717049380
<b>CLAM</b>	-

**CQC-6K D2**

6034D2

an ERNEST EMERSON design



<b>STEEL</b>	D2, stonewashed finish with satin flats
<b>HANDLE</b>	G10 front; 410 stainless steel back, bead-blasted finish
<b>BLADE</b>	3.25 in. (8.3 cm)
<b>CLOSED</b>	4.5 in. (11.4 cm)
<b>OVERALL</b>	7.75 in. (19.7 cm)
<b>WEIGHT</b>	5.1 oz. (146 g)
<b>BOX</b>	087171056166
<b>CLAM</b>	-



**CQC-4KXL D2**

6055D2

an ERNEST EMERSON design



<b>STEEL</b>	D2, stonewashed finish with satin flats
<b>HANDLE</b>	G10 front; 410 stainless steel back, bead-blasted finish
<b>BLADE</b>	3.9 in. (9.9 cm)
<b>CLOSED</b>	5 in. (12.7 cm)
<b>OVERALL</b>	9 in. (22.9 cm)
<b>WEIGHT</b>	6.1 oz. (175 g)
<b>BOX</b>	087171056159
<b>CLAM</b>	-

<b>OPENING</b>	Manual opening with thumb disk or Emerson wave shaped feature®
<b>LOCK</b>	Frame lock
<b>POCKETCLIP</b>	Reversible (right/left, tip-up)
<b>FEATURES</b>	Lanyard hole

**CQC-11K D2**

6031D2

an ERNEST EMERSON design



<b>STEEL</b>	D2, stonewashed finish
<b>HANDLE</b>	G10 front; 410 stainless steel back, bead-blasted finish
<b>BLADE</b>	3.5 in. (9 cm)
<b>CLOSED</b>	4.75 in. (12.1 cm)
<b>OVERALL</b>	8.5 in. (21.6 cm)
<b>WEIGHT</b>	5.8 oz. (166 g)
<b>BOX</b>	087171056173
<b>CLAM</b>	-

<b>OPENING</b>	Manual opening with thumb disk or Emerson wave shaped feature®
<b>LOCK</b>	Frame lock
<b>POCKETCLIP</b>	Reversible (right/left, tip-up)
<b>FEATURES</b>	Big-bellied skinning blade, lanyard hole



# MULTI-FUNCTION SECTION

## OVERVIEW

- 18 TOTAL PRODUCTS
- 15 ORIGINAL DESIGNS
- 1 PREMIUM BLADE STEEL




When you're looking for a knife that does more, look to our multifunction pocketknives. They incorporate additional handy features like screwdrivers or bottle openers and just add to the convenience of carrying a knife.

## DRIVETRAIN

8655  
a KERSHAW ORIGINALS design

<b>STEEL</b>	D2, stonewashed finish
<b>HANDLE</b>	Glass-filled nylon
<b>BLADE</b>	3.2 in. (8.1 cm)
<b>CLOSED</b>	4.6 in. (11.7 cm)
<b>OVERALL</b>	7.6 in. (19.3 cm)
<b>WEIGHT</b>	4.2 oz. (119 g)
<b>BOX</b>	087171056616
<b>CLAM</b>	-

<b>OPENING</b>	Assisted opening with flipper or thumb stud
<b>LOCK</b>	Liner lock
<b>POCKETCLIP</b>	Single-position (right, tip-up)
<b>FEATURES</b>	Carbide glassbreaker tip, built-in seatbelt cutter



## PLATFORM

2090  
a KERSHAW ORIGINALS design

<b>STEEL</b>	8Cr13MoV, bead-blasted finish
<b>HANDLE</b>	Glass-filled nylon scale front, stainless steel back, bead-blasted finish
<b>BLADE</b>	2.75 in. (6.9 cm)
<b>CLOSED</b>	4 in. (10.1 cm)
<b>OVERALL</b>	6.75 in. (17.1 cm)
<b>WEIGHT</b>	3.6 oz. (102 g)
<b>BOX</b>	087171060286
<b>CLAM</b>	-

<b>OPENING</b>	Manual double detent slipjoint with nail nick
<b>LOCK</b>	Slipjoint
<b>FEATURES</b>	Integrated nail clipper, nail file



## DIODE

1230  
a KERSHAW ORIGINALS design

<b>STEEL</b>	3Cr13, bead-blasted finish
<b>HANDLE</b>	Glass-filled nylon
<b>BLADE</b>	1.6 in. (4.1 cm)
<b>CLOSED</b>	2.9 in. (7.5 cm)
<b>OVERALL</b>	4.5 in. (11.5 cm)
<b>WEIGHT</b>	1.1 oz. (33 g)
<b>BOX</b>	-
<b>CLAM</b>	087171058627

<b>OPENING</b>	Manual on washers opening with nail nick
<b>LOCK</b>	Liner lock
<b>POCKETCLIP</b>	-
<b>FEATURES</b>	Flat head screwdriver/pry bar, lanyard/keychain hole



## FUNXION EMT

8100  
a KERSHAW ORIGINALS design

<b>STEEL</b>	8Cr13MoV, black-oxide coating
<b>HANDLE</b>	Glass-filled nylon, K-Texture™ insert
<b>BLADE</b>	3 in. (7.6 cm)
<b>CLOSED</b>	4.25 in. (10.7 cm)
<b>OVERALL</b>	7.25 in. (18.4 cm)
<b>WEIGHT</b>	4.8 oz. (137 g)
<b>BOX</b>	087171033853
<b>CLAM</b>	-

<b>OPENING</b>	Assisted opening with flipper or thumb stud
<b>LOCK</b>	Liner lock
<b>POCKETCLIP</b>	Single-position deep-carry (right, tip-down)
<b>FEATURES</b>	Carabiner clip, cord cutter, flat head screwdriver, hex wrench, glassbreaker tip



## SELECT FIRE

1920  
a GRANT & GAVIN HAWK design

<b>STEEL</b>	8Cr13MoV, bead-blasted finish
<b>HANDLE</b>	Glass-filled nylon
<b>BLADE</b>	3.4 in. (8.6 cm)
<b>CLOSED</b>	4.25 in. (10.8 cm)
<b>OVERALL</b>	7.6 in. (19.4 cm)
<b>WEIGHT</b>	5 oz. (142 g)
<b>BOX</b>	087171030319
<b>CLAM</b>	087171030333

<b>OPENING</b>	Manual on washers opening with thumb stud
<b>LOCK</b>	Liner lock
<b>POCKETCLIP</b>	Reversible (right/left, tip-down)
<b>FEATURES</b>	.25 in. hex drive, 2 flat head, 2 Phillips® bits, ruler



**SHUFFLE II - OLIVE**

8750TOLBW

a KERSHAW ORIGINALS design



<b>STEEL</b>	8Cr13MoV, black-oxide BlackWash™ finish
<b>HANDLE</b>	Glass-filled nylon
<b>BLADE</b>	2.6 in. (6.6 cm)
<b>CLOSED</b>	4 in. (10.2 cm)
<b>OVERALL</b>	6.3 in. (16 cm)
<b>WEIGHT</b>	3 oz. (86 g)
<b>BOX</b>	087171048345
<b>CLAM</b>	087171046204

**SHUFFLE II - BLACK**

8750TBLKBW

a KERSHAW ORIGINALS design



<b>STEEL</b>	8Cr13MoV, black-oxide BlackWash™ finish
<b>HANDLE</b>	Glass-filled nylon
<b>BLADE</b>	2.6 in. (6.6 cm)
<b>CLOSED</b>	4 in. (10.2 cm)
<b>OVERALL</b>	6.3 in. (16 cm)
<b>WEIGHT</b>	3 oz. (86 g)
<b>BOX</b>	087171039367
<b>CLAM</b>	087171039374


**SHUFFLE II - TAN**

8750TTANBW

a KERSHAW ORIGINALS design



<b>STEEL</b>	8Cr13MoV, black-oxide BlackWash™ finish
<b>HANDLE</b>	Glass-filled nylon
<b>BLADE</b>	2.6 in. (6.6 cm)
<b>CLOSED</b>	4 in. (10.2 cm)
<b>OVERALL</b>	6.3 in. (16 cm)
<b>WEIGHT</b>	3 oz. (86 g)
<b>BOX</b>	087171039343
<b>CLAM</b>	087171039350

**SHUFFLE**

8700

a KERSHAW ORIGINALS design



<b>STEEL</b>	8Cr13MoV, bead-blasted finish
<b>HANDLE</b>	Glass-filled nylon, K-Texture™ grip
<b>BLADE</b>	2.4 in. (6.1 cm)
<b>CLOSED</b>	3.25 in. (8.3 cm)
<b>OVERALL</b>	5.75 in. (14.6 cm)
<b>WEIGHT</b>	2.8 oz. (79 g)
<b>BOX</b>	087171035468
<b>CLAM</b>	087171035475

**SHUFFLE - BLACK**

8700BLK

a KERSHAW ORIGINALS design



<b>STEEL</b>	8Cr13MoV, black-oxide coating
<b>HANDLE</b>	Glass-filled nylon, K-Texture™ grip
<b>BLADE</b>	2.4 in. (6.1 cm)
<b>CLOSED</b>	3.25 in. (8.3 cm)
<b>OVERALL</b>	5.75 in. (14.6 cm)
<b>WEIGHT</b>	2.8 oz. (79 g)
<b>BOX</b>	087171037134
<b>CLAM</b>	087171037127





## SHUFFLE - LIME

8700LIMEBW  
a KERSHAW ORIGINALS design



<b>STEEL</b>	8Cr13MoV, black-oxide BlackWash™ finish
<b>HANDLE</b>	Glass-filled nylon, K-Texture™ grip
<b>BLADE</b>	2.4 in. (6.1 cm)
<b>CLOSED</b>	3.25 in. (8.3 cm)
<b>OVERALL</b>	5.75 in. (14.6 cm)
<b>WEIGHT</b>	2.8 oz. (79 g)
<b>BOX</b>	087171038681
<b>CLAM</b>	087171038698

<b>OPENING</b>	Manual on washers opening with thumb stud
<b>LOCK</b>	Inset liner lock
<b>POCKETCLIP</b>	Reversible deep-carry (right/left, tip-up)
<b>FEATURES</b>	Bottle opener, flat head screwdriver, lanyard hole




## SHUFFLE - TEAL

8700TEALBW  
a KERSHAW ORIGINALS design



<b>STEEL</b>	8Cr13MoV, black-oxide BlackWash™ finish
<b>HANDLE</b>	Glass-filled nylon, K-Texture™ grip
<b>BLADE</b>	2.4 in. (6.1 cm)
<b>CLOSED</b>	3.25 in. (8.3 cm)
<b>OVERALL</b>	5.75 in. (14.6 cm)
<b>WEIGHT</b>	2.8 oz. (79 g)
<b>BOX</b>	087171038728
<b>CLAM</b>	087171038735

<b>OPENING</b>	Manual on washers opening with thumb stud
<b>LOCK</b>	Inset liner lock
<b>POCKETCLIP</b>	Reversible deep-carry (right/left, tip-up)
<b>FEATURES</b>	Bottle opener, flat head screwdriver, lanyard hole



**SHUFFLE - PURPLE**

8700PURBW

a KERSHAW ORIGINALS design



<b>STEEL</b>	8Cr13MoV, black-oxide BlackWash™ finish
<b>HANDLE</b>	Glass-filled nylon, K-Texture™ grip
<b>BLADE</b>	2.4 in. (6.1 cm)
<b>CLOSED</b>	3.25 in. (8.3 cm)
<b>OVERALL</b>	5.75 in. (14.6 cm)
<b>WEIGHT</b>	2.8 oz. (79 g)
<b>BOX</b>	087171039107
<b>CLAM</b>	087171039114

<b>OPENING</b>	Manual on washers opening with thumb stud
<b>LOCK</b>	Inset liner lock
<b>POCKETCLIP</b>	Reversible deep-carry (right/left, tip-up)
<b>FEATURES</b>	Bottle opener, flat head screwdriver, lanyard hole

**SHUFFLE DIY**

8720

a KERSHAW ORIGINALS design



<b>STEEL</b>	8Cr13MoV, black-oxide coating
<b>HANDLE</b>	Glass-filled nylon
<b>BLADE</b>	2.4 in. (6.1 cm)
<b>CLOSED</b>	3.25 in. (8.3 cm)
<b>OVERALL</b>	5.75 in. (14.6 cm)
<b>WEIGHT</b>	3.5 oz. (100 g)
<b>BOX</b>	087171048932
<b>CLAM</b>	087171048949

<b>OPENING</b>	Manual on washers opening with thumb stud
<b>LOCK</b>	Inset liner lock
<b>POCKETCLIP</b>	Single-position (right, tip-down)
<b>FEATURES</b>	Bottle opener, bit driver with flat head and Phillips screwdriver bits, keychain ring hole

**ANTIC**

8710

a KERSHAW ORIGINALS design



<b>STEEL</b>	8Cr13MoV, bead-blasted finish
<b>HANDLE</b>	Stainless steel, blue PVD coating
<b>BLADE</b>	1.7 in. (4.4 cm)
<b>CLOSED</b>	3.8 in. (9.7 cm)
<b>OVERALL</b>	5.5 in. (14 cm)
<b>WEIGHT</b>	3.1 oz. (88 g)
<b>BOX</b>	087171054063
<b>CLAM</b>	087171055671

<b>OPENING</b>	Manual on washers opening with thumb stud
<b>LOCK</b>	Frame lock
<b>POCKETCLIP</b>	Single-position (right, tip-down)
<b>FEATURES</b>	Bottle opener, screwdriver/pry tip, oversized lanyard attachment/key ring

**CINDER - COPPER**

1025CU

a RICK HINDERER design



<b>STEEL</b>	3Cr13, stonewashed finish
<b>HANDLE</b>	Copper
<b>BLADE</b>	1.4 in. (3.6 cm)
<b>CLOSED</b>	2.6 in. (6.6 cm)
<b>OVERALL</b>	4 in. (10.2 cm)
<b>WEIGHT</b>	1.5 oz. (43 g)
<b>BOX</b>	-
<b>CLAM</b>	087171051963

<b>OPENING</b>	Manual opening with thumb stud
<b>LOCK</b>	Liner lock
<b>FEATURES</b>	Bottle opener, lanyard hole

**CINDER**

1025

a RICK HINDERER design



<b>STEEL</b>	3Cr13, stonewashed finish
<b>HANDLE</b>	Glass-filled nylon
<b>BLADE</b>	1.4 in. (3.6 cm)
<b>CLOSED</b>	2.6 in. (6.6 cm)
<b>OVERALL</b>	4 in. (10.2 cm)
<b>WEIGHT</b>	0.9 oz. (26 g)
<b>BOX</b>	-
<b>CLAM</b>	087171044514

<b>OPENING</b>	Manual opening with thumb stud
<b>LOCK</b>	Liner lock
<b>FEATURES</b>	Bottle opener, lanyard hole



## BARRICADE

8650

a KERSHAW ORIGINALS design



<b>STEEL</b>	8Cr13MoV, black-oxide coating
<b>HANDLE</b>	Glass-filled nylon
<b>BLADE</b>	3.5 in. (8.9 cm)
<b>CLOSED</b>	5 in. (12.7 cm)
<b>OVERALL</b>	8.5 in. (21.6 cm)
<b>WEIGHT</b>	4.5 oz. (128 g)
<b>BOX</b>	087171048529
<b>CLAM</b>	087171050362

**OPENING**

Assisted opening with flipper or thumb stud

**LOCK****POCKETCLIP**

Liner lock

Single-position deep-carry (right, tip-down)

**FEATURES**

Carbide glassbreaker tip, built-in cord/seatbelt cutter



**kershaw®**

KERSHAWKNIVES.COM

# FIXED BLADE SECTION

## OVERVIEW

- 11 TOTAL • 4 NEW
- 11 ORIGINAL DESIGNS
- 3 PREMIUM BLADE STEEL



Fixed blades are among your most reliable tools during an adventure, providing users with full-tang construction and an ultra-strong blade. Kershaw offers fixed blades in everything from camping tools to everyday carry and more.

**NEW****DESCHUTES CAPER**

1882

a KERSHAW ORIGINALS design



<b>STEEL</b>	D2, stonewashed finish
<b>HANDLE</b>	Polypropylene, rubber overlay
<b>BLADE</b>	3.3 in. (8.4 cm)
<b>OVERALL</b>	7 in. (17.8 cm)
<b>WEIGHT</b>	1.7 oz. (48 g)
<b>BOX</b>	3 oz. (85 g) with sheath
<b>CLAM</b>	087171063416
	-

**NEW****DESCHUTES SKINNER**

1883

a KERSHAW ORIGINALS design



<b>STEEL</b>	D2, stonewashed finish
<b>HANDLE</b>	Polypropylene, rubber overlay
<b>BLADE</b>	3.9 in. (9.9 cm)
<b>OVERALL</b>	8.65 in. (22 cm)
<b>WEIGHT</b>	3.3 oz. (94 g)
<b>BOX</b>	4.9 oz. (139 g) with sheath
<b>CLAM</b>	087171063423
	-

**CAMP 5**

1083

a KERSHAW ORIGINALS design



<b>STEEL</b>	D2, stonewashed finish
<b>HANDLE</b>	Glass-filled nylon
<b>BLADE</b>	4.75 in. (12.2 cm)
<b>OVERALL</b>	9.125 in. (23.3 cm)
<b>WEIGHT</b>	5.7 oz. (162 g)
<b>BOX</b>	7.5 oz. (213 g) with sheath
<b>CLAM</b>	087171057965
	-


**ION - 3-KNIFE SET**

1747BW

a KERSHAW ORIGINALS design



<b>STEEL</b>	3Cr13, black-oxide BlackWash™ finish
<b>HANDLE</b>	Full-tang, paracord wrapped
<b>BLADE</b>	4.5 in. (11.4 cm)
<b>OVERALL</b>	9 in. (22.9 cm)
<b>WEIGHT</b>	3.9 oz. (113 g)
<b>BOX</b>	14.4 oz. (409 g) 3 knives with sheath
<b>CLAM</b>	-
	087171039084

**SECRET AGENT**

4007

a KERSHAW ORIGINALS design



<b>STEEL</b>	8Cr13MoV, black-oxide coating
<b>HANDLE</b>	Rubberized co-molded
<b>BLADE</b>	4.4 in. (11.2 cm)
<b>OVERALL</b>	8.7 in. (22.1 cm)
<b>WEIGHT</b>	3.1 oz. (90 g)
<b>BOX</b>	4.7 oz. (136 g) with sheath
<b>CLAM</b>	087171036977
	087171037165

**FIXED BLADE****kershaw®**

KERSHAWKNIVES.COM

**BRACE**

2085

a KERSHAW ORIGINALS design



<b>STEEL</b>	8Cr13MoV, stonewashed finish
<b>HANDLE</b>	8Cr13MoV with glass-filled nylon overlay, stonewashed finish
<b>BLADE</b>	2 in. (5.1 cm)
<b>OVERALL</b>	4.9 in. (12.4 cm)
<b>WEIGHT</b>	0.9 oz. (26 g)
<b>BOX</b>	1.6 oz. (45 g) with sheath
<b>CLAM</b>	087171060859
	087171062471

**OPENING FEATURES**

Full-tang construction  
Polypropylene neck sheath with adjustable cord, webbing slots, and tie holes  
Lanyard hole

**DUNE**

4008

a KERSHAW ORIGINALS design



<b>STEEL</b>	3Cr13, black-oxide coating
<b>HANDLE</b>	Glass-filled nylon
<b>BLADE</b>	3.8 in. (9.7 cm)
<b>OVERALL</b>	7.7 in. (19.6 cm)
<b>WEIGHT</b>	2.2 oz. (65 g)
<b>BOX</b>	2.7 oz. (79 g) with sheath
<b>CLAM</b>	-
	087171039459

**OPENING FEATURES**

Full-tang construction  
Tanto point, lanyard hole, injection-molded neck sheath with adjustable cord



# PROJECT ATOM

**Project ATOM** is a unique lineup of Kershaw fixed blades that are light to carry, easy to collect, and fun to show off. Using an extremely durable polymer blend reinforced with glass fibers, the rust-free blades feature blunt edges and no blade steel, but plenty of strength and sharp tips.

## NEW ELECTRON

1396  
a KERSHAW ORIGINALS design



<b>MATERIAL</b>	PA-66, glass fiber
<b>BLADE</b>	2.4 in. (6.1 cm)
<b>OVERALL</b>	5.1 in. (13 cm)
<b>WEIGHT</b>	0.3 oz. (8.5 g)
<b>BOX</b>	-
<b>CLAM</b>	087171060798

**OPENING FEATURES** Full-tang construction  
Stainless steel lanyard hole insert



## NEW INTERVAL

1399  
a KERSHAW ORIGINALS design



<b>MATERIAL</b>	PA-66, glass fiber
<b>BLADE</b>	3.5 in. (8.9 cm)
<b>OVERALL</b>	7.4 in. (18.8 cm)
<b>WEIGHT</b>	0.7 oz. (20 g)
<b>BOX</b>	-
<b>CLAM</b>	087171061580

**OPENING FEATURES** Full-tang construction  
Stainless steel lanyard hole insert



## INVERSE

1397  
a KERSHAW ORIGINALS design



<b>MATERIAL</b>	PA-66, glass fiber
<b>BLADE</b>	2.6 in. (6.6 cm)
<b>OVERALL</b>	5.25 in. (13.3 cm)
<b>WEIGHT</b>	0.4 oz. (11.3 g)
<b>BOX</b>	-
<b>CLAM</b>	087171060903

**OPENING FEATURES** Full-tang construction  
Lanyard hole, stainless steel overlay, stonewashed finish



## ARISE

1398  
a KERSHAW ORIGINALS design



<b>MATERIAL</b>	PA-66, glass fiber
<b>BLADE</b>	4.2 in. (10.7 cm)
<b>OVERALL</b>	8.4 in. (21.3 cm)
<b>WEIGHT</b>	1.8 oz. (51 g)
<b>BOX</b>	-
<b>CLAM</b>	087171060910

**OPENING FEATURES** Full-tang construction  
Key ring attachment



# OUTDOOR SECTION

OVERVIEW

5 TOTAL • 1 NEW  
5 ORIGINAL DESIGNS



We love it out there. If you do, too, you know how handy a pocketknife is for everything from cutting rope to building a campfire. Kershaw also has a range of other outdoor cutting and chopping tools to make your outdoor life even better.

NEW

## LONEROCK RBK 2

1891

a KERSHAW ORIGINALS design



<b>STEEL</b>	Surgical stainless steel, blade type #60A
<b>HANDLE</b>	Glass-filled nylon with rubber overmold
<b>BLADE</b>	2.75 in. (7 cm)
<b>CLOSED</b>	4.25 in. (10.8 cm)
<b>OVERALL</b>	7 in. (17.8 cm)
<b>WEIGHT</b>	2 oz. (57 g)
<b>BOX</b>	087171060897
<b>CLAM</b>	-



REPLACEMENT  
BLADES  
1890RB  
087171040721

OUTDOOR

## TASKMASTER SAW 2


2556

a KERSHAW ORIGINALS design



<b>STEEL</b>	High-carbon steel, nickel-plated
<b>HANDLE</b>	Glass-filled nylon with rubber grip
<b>BLADE</b>	7 in. (17.8 cm)
<b>CLOSED</b>	9.125 in. (23.2 cm)
<b>OVERALL</b>	15.9 in. (40.4 cm)
<b>WEIGHT</b>	8.7 oz. (247 g)
<b>BOX</b>	087171058993
<b>CLAM</b>	-

<b>OPENING</b>	Manual opening
<b>LOCK</b>	Push-button lock
<b>FEATURES</b>	Textured rubber grip
	Lanyard hole



## DESCHUTES

1075

a KERSHAW ORIGINALS design



<b>STEEL</b>	3Cr13, black-oxide-coating
<b>HANDLE</b>	Glass-filled nylon, rubber overlay
<b>BLADE</b>	3.5 in. (8.9 cm)
<b>OVERALL</b>	14 in. (35.6 cm)
<b>WEIGHT</b>	1 lb. 9 oz. (711 g), 1 lb. 12 oz. (803 g) with sheath
<b>BOX</b>	-
<b>CLAM</b>	087171057439



## CAMP 10

1077

a KERSHAW ORIGINALS design



<b>STEEL</b>	65Mn, powdercoat
<b>HANDLE</b>	Rubber overmold
<b>BLADE</b>	10 in. (25.4 cm)
<b>OVERALL</b>	16 in. (40.6 cm)
<b>WEIGHT</b>	1 lb. 2.3 oz. (521 g), 1 lb. 8 oz. (681 g) with sheath
<b>BOX</b>	087171033594
<b>CLAM</b>	087171034065



## CAMP 10 - TAN

1077TAN

a KERSHAW ORIGINALS design



<b>STEEL</b>	65Mn, powdercoat
<b>HANDLE</b>	Rubber overmold
<b>BLADE</b>	10 in. (25.4 cm)
<b>OVERALL</b>	16 in. (40.6 cm)
<b>WEIGHT</b>	1 lb. 2.3 oz. (521 g), 1 lb. 8 oz. (681 g) with sheath
<b>BOX</b>	087171052748
<b>CLAM</b>	-



kershaw®

KERSHAWKNIVES.COM

# FISHING SECTION

OVERVIEW

8 TOTAL PRODUCTS  
8 ORIGINAL DESIGNS



What size is your catch? From a pan-sized bluegill to a monster Chinook, Kershaw has the right fillet and processing knife to turn your catch into the fish dinner of your dreams.

**7-IN. FILLET**1257  
a KERSHAW ORIGINALS design

<b>STEEL</b>	420J2, satin finish
<b>HANDLE</b>	Co-polymer
<b>BLADE</b>	7 in. (17.8 cm)
<b>OVERALL</b>	12.25 in. (31.1 cm)
<b>WEIGHT</b>	3.3 oz. (96 g)
<b>BOX</b>	4.7 oz. (135 g) with sheath
<b>CLAM</b>	-
	087171125701

**FEATURES**

Neon accents for improved visibility  
Includes molded sheath with belt loop

**9-IN. FILLET**1259  
a KERSHAW ORIGINALS design

<b>STEEL</b>	420J2, satin finish
<b>HANDLE</b>	Co-polymer
<b>BLADE</b>	9 in. (22.9 cm)
<b>OVERALL</b>	14.25 in. (36.2 cm)
<b>WEIGHT</b>	3.6 oz. (104 g)
<b>BOX</b>	5.2 oz. (147 g) with sheath
<b>CLAM</b>	-
	087171125909

**FEATURES**

Neon accents for improved visibility  
Includes molded sheath with belt loop

**7-IN. BONING WITH SPOON**1243SH  
a KERSHAW ORIGINALS design

<b>STEEL</b>	420J2, satin finish
<b>HANDLE</b>	Glass-filled nylon, rubber overmold K-Texture™ grip
<b>BLADE</b>	7 in. (17.8 cm)
<b>OVERALL</b>	14.5 in. (36.8 cm)
<b>WEIGHT</b>	3.6 oz. (104 g)
<b>BOX</b>	4.3 oz. (123 g) with blade protector
<b>CLAM</b>	-
	087171037042

**FEATURES**

Handle ensures grip in  
marine conditions  
Flexible blade  
Includes blade protector

**7.5-IN. FILLET**1247  
a KERSHAW ORIGINALS design

<b>STEEL</b>	420J2, satin finish
<b>HANDLE</b>	Glass-filled nylon, rubber overmold, K-Texture™ grip
<b>BLADE</b>	7.5 in. (19.1 cm)
<b>OVERALL</b>	12.7 in. (32.3 cm)
<b>WEIGHT</b>	2.9 oz. (84 g)
<b>BOX</b>	3.7 oz. (105 g) with blade protector
<b>CLAM</b>	-
	087171037059

**FEATURES**

Handle ensures grip in  
marine conditions  
Flexible blade  
Includes blade protector

**9.5-IN. FILLET**1249  
a KERSHAW ORIGINALS design

<b>STEEL</b>	420J2, satin finish
<b>HANDLE</b>	Glass-filled nylon, rubber overmold, K-Texture™ grip
<b>BLADE</b>	9.5 in. (24.1 cm)
<b>OVERALL</b>	14.8 in. (37.6 cm)
<b>WEIGHT</b>	3.3 oz. (94 g)
<b>BOX</b>	4.1 oz. (116 g) with blade protector
<b>CLAM</b>	087171037066
	-

**FEATURES**

Handle ensures grip in  
marine conditions  
Flexible blade  
Includes blade protector



**12-IN. CURVED**

1241

a KERSHAW ORIGINALS design



<b>STEEL</b>	420J2, satin finish
<b>HANDLE</b>	Glass-filled nylon, rubber overmold, K-Texture™ grip
<b>BLADE</b>	12 in. (30.5 cm)
<b>OVERALL</b>	17.7 in. (45 cm)
<b>WEIGHT</b>	8.6 oz. (244 g)
<b>BOX</b>	10.6 oz. (301 g) with blade protector
<b>CLAM</b>	-
	087171037028

<b>FEATURES</b>	Handle ensures grip in marine conditions Flexible blade Includes blade protector
-----------------	--

**9-IN. CURVED**

1242GE

a KERSHAW ORIGINALS design



<b>STEEL</b>	420J2, satin finish
<b>HANDLE</b>	Glass-filled nylon, rubber overmold, K-Texture™ grip
<b>BLADE</b>	9 in. (22.9 cm)
<b>OVERALL</b>	14.7 in. (37.3 cm)
<b>WEIGHT</b>	5.2 oz. (149 g)
	6.4 oz. (182 g) with blade protector
<b>BOX</b>	-
<b>CLAM</b>	087171037035

<b>FEATURES</b>	Handle ensures grip in marine conditions Flexible blade Includes blade protector
-----------------	--

**FOLDING FILLET**

1258

a KERSHAW ORIGINALS design



<b>STEEL</b>	420J2, satin finish
<b>HANDLE</b>	Glass-filled nylon, rubber overmold, K-Texture™ grip
<b>BLADE</b>	6.25 in. (15.9 cm)
<b>CLOSED</b>	7.5 in. (19.1 cm)
<b>OVERALL</b>	13.75 in. (34.9 cm)
<b>WEIGHT</b>	4.9 oz. (138.9 g)
<b>BOX</b>	-
<b>CLAM</b>	087171037073

<b>OPENING</b>	Manual opening
<b>LOCK</b>	Mid-lock
<b>FEATURES</b>	Handle ensures grip in marine conditions Flexible blade Lanyard hole





# GEAR SECTION

From handy ways to display and store your Kershaw collection to attractive and practical ways to show your spirit, you'll find it here.





NEW

### KERSHAW KEYCHAIN LANYARD

KERKEYLANYARD

Polyester + zinc alloy, Kershaw logo on both sides  
 • Length 7 in. (17.8 cm) • Width 1.25 in. (3.2 cm)  
 Strap Width 1 in. (2.5 cm)

UPC 087171064673



### KERSHAW CAP - NATRIX

CAPNX

Flat-bill, 6-panel hat  
 UPC 087171059310



### KERSHAW NECK GAITER

GAITERKER

92% polyester, 8% spandex, one size fits most  
 • Width 9.8 in. (24.9 cm) • Height 19.7 in. (50 cm)

UPC 087171061016



NEW

### T-SHIRT - BACKCOUNTRY LIFE

SHIRTKERELK

- 65/35 polyester/cotton blend, with moisture-wicking properties
- Classic fit with tear away label

S	SHIRTKERELKS 087171065052
M	SHIRTKERELKM 087171064918
L	SHIRTKERELKL 087171064925
XL	SHIRTKERELKL 087171064932
XXL	SHIRTKERELKXXL 087171064949



NEW

### T-SHIRT - MOUNTAIN SUNSET

SHIRTKERHILLS

- 65/35 polyester/cotton blend, with moisture-wicking properties
- Classic fit with tear away label

S	SHIRTKERHILLSS 087171065007
M	SHIRTKERHILLSM 087171065014
L	SHIRTKERHILLSL 087171065021
XL	SHIRTKERHILLSSXL 087171065038
XXL	SHIRTKERHILLSSXXL 087171065045



NEW

### T-SHIRT - OFF ROADING

SHIRTKERTRUCK

- 65/35 polyester/cotton blend, with moisture-wicking properties
- Classic fit with tear away label

S	SHIRTKERTRUCKS 087171064956
M	SHIRTKERTRUCKM 087171064963
L	SHIRTKERTRUCKL 087171064970
XL	SHIRTKERTRUCKXL 087171064987
XXL	SHIRTKERTRUCKXXL 087171064994



**T-SHIRT - USA KNIVES**  
SHIRTKERUSAKNIVES



- 90% pre-shrunk cotton, 10% polyester
- Full cut styling for comfort

<b>S</b>	SHIRTKERUSAKNIVESS 087171063560
<b>M</b>	SHIRTKERUSAKNIVESM 087171063577
<b>L</b>	SHIRTKERUSAKNIVESL 087171063584
<b>XL</b>	SHIRTKERUSAKNIVESXL 087171063591
<b>XXL</b>	SHIRTKERUSAKNIVESXXL 087171063607



**T-SHIRT - PIXEL**  
SHIRTKERPIXEL

- 100% pre-shrunk, ring-spun cotton
- Semi-fitted styling for comfort

<b>S</b>	SHIRTKERPIXELS 087171063461
<b>M</b>	SHIRTKERPIXELM 087171063478
<b>L</b>	SHIRTKERPIXELL 087171063485
<b>XL</b>	SHIRTKERPIXELXL 087171063492
<b>XXL</b>	SHIRTKERPIXELXXL 087171063508



**T-SHIRT - ONLY ONE**  
SHIRTKERONLYONE

- 65% polyester, 35% cotton
- Semi-fitted styling for comfort

<b>S</b>	SHIRTKERONLYONES 087171063515
<b>M</b>	SHIRTKERONLYONEM 087171063522
<b>L</b>	SHIRTKERONLYONEL 087171063539
<b>XL</b>	SHIRTKERONLYONEXL 087171063546
<b>XXL</b>	SHIRTKERONLYONEXXL 087171063553



**T-SHIRT - E.S.B.K.**  
SHIRTKER2021



- 100% pre-shrunk, ring-spun cotton
- Semi-fitted styling for comfort

<b>S</b>	SHIRTKER2021S 087171061887
<b>M</b>	SHIRTKER2021M 087171061894
<b>L</b>	SHIRTKER2021L 087171061900
<b>XL</b>	SHIRTKER2021XL 087171061917
<b>XXL</b>	SHIRTKER2021AXXL 087171061924



### T-SHIRT - AMERICA

SHIRTAMERICA



- 100% pre-shrunk, ring-spun cotton
- Semi-fitted styling for comfort

**S** SHIRTAMERICAS  
087171060743

**M** SHIRTAMERICAM  
087171060736

**L** SHIRTAMERICAL  
087171060729

**XL** SHIRTAMERICAXL  
087171060750

**XXL** SHIRTAMERICAXXL  
087171060767



### T-SHIRT - LAUNCH 13

SHIRTKERL13



- 100% pre-shrunk, ring-spun cotton
- Semi-fitted styling for comfort

**S** SHIRTKERL13S  
087171061931

**M** SHIRTKERL13M  
087171061948

**L** SHIRTKERL13L  
087171061955

**XL** SHIRTKERL13XL  
087171061962

**XXL** SHIRTKERL13XXL  
087171061979



### T-SHIRT - LUCHA

SHIRTLUCHA

- 100% pre-shrunk, ring-spun cotton
- Semi-fitted styling for comfort

**S** SHIRTLUCHAS  
087171060507

**M** SHIRTLUCHAM  
087171060514

**L** SHIRTLUCHAL  
087171060521

**XL** SHIRTLUCHAXL  
087171060538

**XXL** SHIRTLUCHAXXL  
087171060545



### T-SHIRT - RED

SHIRTKER182

- 100% pre-shrunk cotton
- Double-needle stitched lay-flat collar

**S** SHIRTKER182S  
087171052625

**M** SHIRTKER182M  
087171052847

**L** SHIRTKER182L  
087171052854

**XL** SHIRTKER182XL  
087171052861

**XXL** SHIRTKER182XXL  
087171052878



NEW

**RECAP**8830  
a KERSHAW ORIGINALS design

<b>STEEL</b>	3Cr13, stonewashed finish
<b>OVERALL</b>	2.37 in. (6 cm)
<b>WEIGHT</b>	0.3 oz. (9 g)
<b>CLAM</b>	087171063638
<ul style="list-style-type: none"> <li>Bottle opener • Pry bar</li> <li>Flathead screwdriver</li> <li>Key ring/lanyard hole</li> </ul>	

**NACHO**8825  
a KERSHAW ORIGINALS design

<b>STEEL</b>	3Cr13, stonewashed finish
<b>HANDLE</b>	Glass-filled nylon
<b>OVERALL</b>	2 in. (5.1 cm)
<b>WEIGHT</b>	0.3 oz. (22 g)
<b>CLAM</b>	087171060989
<ul style="list-style-type: none"> <li>Bottle opener</li> </ul>	

**DOWNFORCE**8820  
a KERSHAW ORIGINALS design

<b>STEEL</b>	3Cr13, black-oxide BlackWash™ finish
<b>OVERALL</b>	3.5 in. (8.9 cm)
<b>WEIGHT</b>	0.6 oz. (17 g)
<b>CLAM</b>	087171060880
<ul style="list-style-type: none"> <li>Bottle/can opener • Phillips screwdriver • Mini prybar/flathead screwdriver</li> <li>Key ring/lanyard hole</li> </ul>	

**KNIFE OIL**KEROIL  
a KERSHAW ORIGINALS design

0.68 fl oz (20 mL) • Allows for smoother operation • Works to prevent corrosion • SMT (Sub-Micron Technology) absorbs into pores of metals for an even conditioning • Non-migrating, non-toxic formula

UPC 087171054087

**FIRE STARTER**1019  
a KERSHAW ORIGINALS design

<b>STEEL</b>	Magnesium firesteel
<b>HANDLE</b>	Molded plastic
<b>OVERALL</b>	3.1 in. (7.9 cm)
<b>WEIGHT</b>	1.1 oz. (31 g)
<b>CLAM</b>	087171101910

**PT-1**8800  
a KERSHAW ORIGINALS design

<b>STEEL</b>	3Cr13, bead-blasted finish
<b>HANDLE</b>	Glass-filled nylon, K-Texture™
<b>OVERALL</b>	2.75 in. (7 cm)
<b>WEIGHT</b>	0.8 oz. (24 g)
<b>CLAM</b>	087171048659

**PT-2**8810  
a KERSHAW ORIGINALS design

<b>STEEL</b>	3Cr13, bead-blasted finish
<b>HANDLE</b>	Glass-filled nylon, K-Texture™
<b>OVERALL</b>	3.25 in. (8.2 cm)
<b>WEIGHT</b>	0.8 oz. (24 g)
<b>CLAM</b>	087171048536

**K-TOOL**KTOOL  
a KERSHAW ORIGINALS design

<b>STEEL</b>	3Cr13, black-oxide BlackWash™ finish
<b>OVERALL</b>	2 in. (5.1 cm)
<b>WEIGHT</b>	0.7 oz. (22 g)
<b>CLAM</b>	087171039657
<ul style="list-style-type: none"> <li>Bottle opener • Lanyard hole</li> <li>Flat head screwdriver</li> <li>Box cutter</li> </ul>	

• Bottle/can opener • Flat head & Phillips screwdrivers  
• 3 sizes of hex drives • Wire scraper • Pry bar • Lanyard hole

**RATION**

1140 • 1140OR • 1140TEAL • 1140GRN  
a KERSHAW ORIGINALS design

<b>STEEL</b>	3Cr13, bead-blasted finish
<b>OVERALL</b>	4.6 in. (11.7 cm)
<b>WEIGHT</b>	1.3 oz. (36 g)
<b>CLAM</b>	087171046389 087171052434 • OR 087171052441 • TEAL 087171052427 • GRN
<ul style="list-style-type: none"> <li>• Fork • Spoon • Bottle opener • Carabiner gate • Food-safe coating</li> </ul>	

**SKEETER III**

1216  
a KERSHAW ORIGINALS design

<b>STEEL</b>	3Cr13, satin finish
<b>HANDLE</b>	Polypropylene
<b>BLADE</b>	1.25 in. (3.2 cm)
<b>OVERALL</b>	4.25 in. (10.8 cm)
<b>WEIGHT</b>	0.7 oz. (22 g)
<b>CLAM</b>	087171056630

**MANICURE SET**

KMCURE  
a KERSHAW ORIGINALS design

<b>STEEL</b>	Stainless steel, satin finish
<b>OVERALL</b>	4.25 in. (10.8 cm)
<b>WEIGHT</b>	3.9 oz. (113 g)
<b>BOX</b>	087171056609
<ul style="list-style-type: none"> <li>• Nail clippers • Cuticle scissors • Nail file • Tweezers • Carrying case</li> </ul>	

**RATION - XL**

1145 • 1145GRN  
a KERSHAW ORIGINALS design

<b>STEEL</b>	3Cr13, bead-blasted finish
<b>OVERALL</b>	7.3 in. (18.6 cm)
<b>WEIGHT</b>	2.1 oz. (60 g)
<b>CLAM</b>	087171052465 087171052458 • GRN
<ul style="list-style-type: none"> <li>• Fork • Spoon • Bottle opener • Carabiner gate • Food-safe coating</li> </ul>	

**TASKMASTER SHEARS 2**

1121  
a KERSHAW ORIGINALS design

<b>STEEL</b>	Stainless steel, satin finish
<b>HANDLE</b>	Glass-filled nylon
<b>BLADE</b>	3.5 in. (8.9 cm)
<b>OVERALL</b>	8.9 in. (22.5 cm)
<b>WEIGHT</b>	5.1 oz. (145 g)
<b>BOX</b>	087171057514
<b>CLAM</b>	087171059549
<ul style="list-style-type: none"> <li>• Nutcracker • Cap lifter • Flathead screwdriver tips</li> <li>• Blades separate for easy cleaning</li> </ul>	

**ULTRA-TEK SHARPENER** 2535

a KERSHAW ORIGINALS design

<b>STEEL</b>	600-grit, diamond-coated oval shaft
<b>HANDLE</b>	6061-T6 anodized aluminum
<b>SHAFT</b>	4 in. (10.2 cm)
<b>OVERALL</b>	9 in. (22.9 cm)
<b>WEIGHT</b>	1.7 oz. (51 g)
<b>CLAM</b>	087171253503

**TX-TOOL**

TXTOOL  
a KERSHAW ORIGINALS design

<b>HANDLE</b>	Aluminum
<b>OVERALL</b>	4.8 in. (12.2 cm)
<b>WEIGHT</b>	1.1 oz. (32 g)
<b>BOX</b>	087171044989
<ul style="list-style-type: none"> <li>For most Kershaw pivots, pocketclip, and handle screws • Torx bits T6, T8, T10, #2 Phillips and flat head screwdriver bits</li> </ul>	

**USA KNIVES DECAL**

DECALUSAKNIVES

Clear poly, permanent adhesive on back  
3 x 5 in. (7.6 x 12.7 cm)

UPC 087171063676

**LUCHA DECAL**

DECALLUCHA

Clear poly, permanent adhesive on back  
5 in. diameter (12.7 cm)

UPC 087171063669

**WINDOW CLING**

KERCLING17

6x2 in., transparent background,  
fade resistant color

UPC 087171049144

**E.S.B.K. DECAL**

DECALESBK

White vinyl, permanent adhesive on back  
3 x 5 in. (7.6 x 12.7 cm)

UPC 087171063645

**"ONLY ONE" DECAL**

DECALONLYONE

White vinyl, permanent adhesive on back  
3.5 x 5 in. (8.9 x 12.7 cm)

UPC 087171063652

**CHALLENGE COIN - NEXT LEVEL**

CHALLENGECOINKER

Zinc alloy with antique nickel plating  
• Diameter 1.75 in. (4.4 cm) • Weight 0.9 oz. (25 g)

UPC 087171059341



### KNIFE STORAGE BAG

Z997

Accommodates up to 18 folding knives, with 8-pocket removable center section, and zipper closure. Nylon siding & straps • Overall 13 x 7.5 in. (33 x 19 cm) • Weight 12 oz. (340 g)

UPC 087171045634



### SINGLE-KNIFE BLADE STAND

DISPLAYKERB14

UPC 087171046808



### SINGLE-KNIFE POUCH

POUCHKER

Cordura exterior, zipper closure, soft interior  
UPC 087171059334



### SINGLE-KNIFE STAND

DISPLAYKER114

UPC 087171046785



### COUNTER MAT

MATKER20

Foam-backed, acrylic front 15x10 in.  
UPC 087171059280



### TRIPLE-KNIFE STAND


DISPLAYKER314

UPC 087171046792

# BLADE STYLES

## AMERICAN TANTO

Angles upward to meet the spine. The angled edge can be straight or curved. The American tanto offers a strong, durable tip while the straight edge makes it ideal for push cuts.



## CLEAVER

The cleaver blade shape is a high-utility style defined by a slightly curved belly and down-turned tip. The shape makes a good EDC or utility knife and is ideal for slicing and chopping tasks.



## CLIP POINT

The tip of the clip point is lower than its spine. The top part of the blade has been "clipped" off so that the blade goes straight from spine to tip. The clip point can also have a concave curve to the tip. Clip points are great for everyday carrying but are also favored for hunting knives.



## DROP POINT

The blade's point drops down below the blade's spine. Usually has good "belly," a curved cutting edge. It is one of today's most widespread blade shapes because it's a great all-purpose blade.



## HAWKBILL

A hawkbill blade is hook-like with a concave belly. It offers ease in cutting ropes, fabrics, and even trimming shrubbery.



## RECURVE

Instead of having a fully convex belly, a recurve blade will also have a gentle concave curve along part of the cutting edge. This gives the edge something of an "S" shape. The recurve blade provides good belly for slicing and a concave curve for easy draw or pull cuts.



## REVERSE TANTO

Instead of the edge angling up to meet the spine, a reverse tanto's tip angles down to meet the edge. Like the American tanto, the reverse tanto offers a strong tip for piercing and, generally, a straight edge, ideal for good slicing.



## SHEEPSFOOT

A sheepfoot blade is similar to the Wharncliffe, but it has a steeper slope from spine to edge and a less-pointy tip. They are often favored by emergency responders due to the relative safety of the rounded tip. The straight edge works well for slicing push cuts and general-purpose cutting.



## SPEAR POINT

In a spear-point blade, the top and bottom of the blade are symmetrical, and the tip is in line with the center of the blade. It may have one or both edges sharpened. It offers tactical style as well as excellent piercing.




## TRAILING POINT

A trailing-point blade has a tip that ends above the spine of the knife. Many trailing point knives also have a deep belly curve for superior slicing, including skinning and hunting use.



## WHARNCLIFFE

A Wharncliffe blade has a completely straight cutting edge. The spine of the blade gradually slopes down to meet the edge, forming a tip. The straight edge makes a great blade for slicing push cuts, wood carving, general cutting, and utility work.



# BLADE FINISHES & COATINGS

## BEAD-BLASTED FINISH

The knife blade is "blasted" or sprayed with a mixture of fine media, including glass and aluminum-oxide beads, under high speed and pressure. This smooths the blade surface and creates a soft, non-reflective, matte look. Depending on the media, this finish can produce a darker or a lighter blade color.



## BLACK-OXIDE COATING

A chemical bath converts the surface of the steel to magnetite; it enhances appearance and adds some corrosion resistance.



## BLACKWASH™ FINISH

Our BlackWash™ finish produces a vintage look like that of a well-used tool or favorite, broken-in pair of jeans. Kershaw uses its black-oxide coating with the BlackWash™ finish.



## CERAKOTE COATING

Cerakote enhances corrosion resistance and wear resistance. This fine yet durable coating gives the blade a unique look.



## POWDERCOAT

The coating is applied as a fine powder and cured under heat. This creates a smooth, even, and tough coating.



## PVD COATING

PVD stands for Physical Vapor Deposition. Specialized materials are vaporized via a vacuum process. Then the vaporized material is deposited as a thin layer on selected objects. In our case, it enables us to finish our blades and/or handles with a thin coating that adds color and offers excellent wear and corrosion resistance.



## SATIN FINISH

A Kershaw satin finish will typically show a faint pattern of vertical lines across the blade. It is a shinier finish than bead blasting and somewhat lighter in color.



## STONEWASHED FINISH

Blades are tumbled with ceramic "stones," which give the blade surface a desirable roughened or scuffed look. The look can be pronounced or subtle. The finish helps hide use scratches and fingerprints.



## TITANIUM CARBO-NITRIDE

Kershaw uses titanium carbo-nitride to produce an attractive black or gray blade coating that increases the blade's hardness, helps maintain the edge, and increases the lifetime of the blade.



## TWO-TONE FINISH

Sometimes Kershaw will combine two different blade finishes on a single blade, for example, satin finish on the blade flats and stonewash on the blade grinds.





# BLADE STEELS


## CPM 20CV


HRC: 59-61

This Crucible powdered metallurgy tool steel has a high volume of vanadium carbides for exceptional wear resistance and edge retention. The highest level of chromium of any high-vanadium steel gives it excellent corrosion resistance.

TOUGHNESS: 

EDGE RETENTION: 


CORROSION RESISTANCE: 


SHARPENING EASE: 


## CPM S30V


HRC: 59.5-61

Large carbides in this all-around premium knife steel make it take and hold an edge extremely well; it is also very tough and wear resistant.

TOUGHNESS: 

EDGE RETENTION: 


CORROSION RESISTANCE: 


SHARPENING EASE: 


## CPM 154


HRC: 58-60

This powdered metallurgy steel has a more uniform distribution of carbides, so it takes and holds an excellent edge. Also offers good corrosion resistance, wear resistance, and toughness.

TOUGHNESS: 

EDGE RETENTION: 


CORROSION RESISTANCE: 


SHARPENING EASE: 


## 14C28N


HRC: 58-60

This high-performance steel was developed in a partnership between Kershaw and a Swedish engineering company specializing in stainless and special steel alloys. 14C28N offers excellent corrosion resistance.

TOUGHNESS: 

EDGE RETENTION: 


CORROSION RESISTANCE: 


SHARPENING EASE: 


## 8CR13MoV


HRC: 57-59

Kershaw precision heat-treats 8Cr13MoV steel to bring out its very best high-performance characteristics: the ability to take and hold an edge, strength, and hardness.

TOUGHNESS: 

EDGE RETENTION: 

CORROSION RESISTANCE: 

SHARPENING EASE: 

## 8CR14MoV

HRC: 58-59

The formula for this steel has additional chromium for added stain resistance. It also benefits from Kershaw's expertise in precision heat treatment.

## 7CR17MoV

HRC: 57-59

Similar to 440A stainless steel, but with a formula that has added molybdenum and vanadium to improve hardness and wear resistance.

## 420HC


HRC: 58

This modified 420 steel has higher amounts of carbon and chromium to boost hardenability and corrosion resistance. It is an excellent everyday steel: tough, corrosion resistant, easy to sharpen, and takes a good edge.

TOUGHNESS: 

EDGE RETENTION: 

CORROSION RESISTANCE: 

SHARPENING EASE: 

## 420J

HRC: 56-58

Highly stain resistant, but ductile, this steel is excellent for use where "flex" is desirable, for example, in fillet knives.

TOUGHNESS: 

EDGE RETENTION: 

CORROSION RESISTANCE: 

SHARPENING EASE: 

## D2


HRC: 59-60

This "semi-stainless" tool steel is known for excellent edge retention, wear resistance, and good toughness.

TOUGHNESS: 

EDGE RETENTION: 

CORROSION RESISTANCE: 

SHARPENING EASE: 

## 65Mn

HRC: 56

A tough, durable carbon steel designed for hard-use tools such as Kershaw's Camp Series machetes.

## 3CR13

HRC: 54-56

A value-priced high-chromium stainless steel.

## 4CR14

HRC: 55-57

A value-priced steel; very highly stain resistant.

ELEMENT ▶ STEEL ▾	CARBON (C)	CHROMIUM (Cr)	MOLYBDENUM (Mo)	VANADIUM (V)	TUNGSTEN (W)	Cobalt (Co)	NICKEL (Ni)	MANGANESE (Mn)	SILICON (Si)	SULPHUR (S)	PHOSPHORUS (P)	COPPER (Cu)	NIOBIUM (Nb)	NITROGEN (N)
<b>CPM 20CV</b>	1.9%	20%	1%	4%	0.6%	-	-	0.3%	0.3%	-	-	-	-	-
<b>CPM S30V</b>	1.45%	14%	2%	4%	-	-	-	-	-	-	-	-	-	0.2%
<b>CPM 154</b>	1.05%	14%	4.00%	-	-	-	-	-	-	-	-	-	-	-
<b>14C28N</b>	0.62%	14%	0.55%	-	-	-	-	-	0.25	0.015	0.03	-	-	0.08%
<b>8Cr13MoV</b>	0.8%	13%	0.15%	0.1%	-	-	0.2%	0.4%	0.5%	0.01%	0.02%	-	-	-
<b>8Cr14MoV</b>	0.75-0.8%	13.5-14%	0.20-0.25%	0.10-0.15%	-	-	-	0.3-0.6%	0.3-0.6%	0.03%	0.035%	-	-	-
<b>7Cr17MoV</b>	0.6-0.75%	16-18%	0.75%	-	-	-	0.6%	1%	1%	0.03%	0.04%	-	-	-
<b>420HC</b>	0.46%	13%	-	0.3%	-	-	-	0.40%	0.4%	-	-	-	-	-
<b>420J</b>	0.4-0.5%	12-14%	0.6%	0.18%	-	-	-	0.8%	1%	0.02%	0.05%	-	-	-
<b>D2</b>	1.4-1.6%	11-13%	0.7-1.2%	1.1%	-	-	0.3%	0.6%	0.6%	-	-	-	-	-
<b>65Mn</b>	0.57-0.70%	-	-	-	-	-	-	0.6-0.9%	-	0.05%	0.04%	-	-	-
<b>3Cr13</b>	0.35%	13.5%	0.6%	-	-	-	0.5%	0.5%	0.8%	-	-	-	-	-
<b>4Cr14</b>	0.38%	13.94%	0.12%	0.08%	-	-	0.14%	0.41	0.41%	0.003%	0.02%	-	-	-

# OPENING SYSTEMS

## ASSISTED OPENING

When closed, a torsion bar in the handle creates a bias toward the closed position. When opening, the torsion bar adds to the pressure from your finger, and pushes the blade open.

## AUTOMATIC

A push-button lock holds the blade in place, but under pressure from a torsion spring. When the button is pressed, the released pressure opens the blade. The Kershaw Launch series features a selection of these sleek, instant-open knives.

## MANUAL

No springs or torsion bars, these folders rely on washers for a simple, smooth pivot open. Washers are made of various materials: usually plastic or bronze.

## MANUAL KVT BALL-BEARINGS

Relies on a ring of "caged" ball bearings that surround the knife's pivot and enable the blade to move out of the handle smoothly. KVT makes opening manual knives as smooth, easy, and often as fast as assisted opening.

## SLIPJOINT

These folders usually have a detent system (a tension rod or ball and groove) that biases the blade open or closed. To open the blade, simply overcome the detent manually. Some slipjoints use a double detent system. This system includes two steel detent balls, one on each side of the blade, for safe carrying and a controlled open and close.



# OPENS WITH

## FLIPPER

The flipper is a metal extension found at the back of the blade near the pivot. It can be found on both assisted and manual folders.




## PUSH BUTTON

The push button is found in the handle of the folder near the pivot. It is often used in automatic folders.



## THUMB STUD

The thumb stud is a small stud at the top of the blade near the pivot. It may be on one or both sides of the blade.



## THUMB DISK

The thumb disk is a small disk found at the top of the blade.

## EMERSON WAVE SHAPED FEATURE®

This is a wave-shaped hook built into the back end of the blade, similar to the flipper. It allows users to open the knife as it exits the pocket by hooking onto the pants material.

# LOCKS

## FRAME LOCK

In a frame lock knife, the knife handle—its "frame"—consists of two plates of material on either side of the blade. When the knife is opened, one side of the frame butts up against the back end of the blade and prevents the blade from closing until released. The thickness of the frame material blocking the blade open makes the frame lock extremely sturdy.



## LINER LOCK

The most common of today's blade-locking systems. The handle consists of two metal plates (the "liner") on either side of the blade. When the knife is opened, one side of the liner butts up against the back end of the blade and prevents the blade from closing until released. A secure and convenient way to make using a Kershaw folding knife even safer.



## INSET LINER LOCK

The inset liner lock is a Kershaw variation on the liner lock. Kershaw insets a sturdy steel plate on the inside of the knife's handle. It is riveted into place in a custom-machined cutout on the interior of the handle. This enables us to make a knife with a slimmer profile that won't weigh your pocket down, while still providing the strength and security of a locking liner.



## MID-LOCK

The oldest of the popular blade-locking systems, yet the principle is the same as with the others. Once the knife is opened, a steel bar locks into place behind the blade and prevents the knife from closing until released by the knife user.



## PUSH-BUTTON LOCK

Like Kershaw's other locking systems, once the blade is open, a mechanism blocks the butt end of the blade and prevents it from closing accidentally. In this case, a spring-loaded lock is built into one side of the handle, and it must be depressed in order to unlock the blade.



## SLIPJOINT

A slipjoint knife has no lock. Usually there is a detent system to ensure safe use. Using a tension rod or ball and groove, the blade is biased toward the open or closed position. To close the blade, simply overcome the detent manually.



## SUB-FRAME LOCK

The patented Kershaw Sub-Frame Lock is a variation on the traditional frame lock. In this case, a piece of a lighter weight frame, like G10, is machined out, and a piece of steel is screwed into its place. This steel acts like a standard frame lock. It enables us to make a knife with a slimmer profile, while still providing the strength and security of a frame lock. (The Kershaw Sub-Frame Lock is covered under US Patent 9,120,234.)



## TIP-LOCK

The Tip-Lock can be found on all Leek, Scallion, and Chive assisted open knives. It's a simple slider that, when engaged, ensures the blade will not accidentally open. It's especially helpful in cases where the knife might be juggled in a briefcase, backpack, or purse.



## HANDLE MATERIALS

### ANODIZED ALUMINUM

Anodizing makes aluminum stronger and enables Kershaw to add scratch and fade resistant color to knife handles.



### CARBON FIBER

Carbon fiber atoms are bonded together in crystals aligned in long strands, then woven together like fibers. Combined with resin to make the fibers rigid, carbon fiber makes a knife handle material that is extremely strong and extremely lightweight.



### COPPER

Denser and heavier than iron, this natural metal starts out reddish-orange in color, but over time will gain a patina, like a copper penny. The patina is a result of oxidation, and the colors it turns will change with time as well. Copper makes an interesting knife handle material due to the changing patina. Depending on how you handle and use it, the knife will look different throughout its life.



### CO-POLYMER PLASTIC

A co-polymer is a compound of two or more different molecules, chosen for specific characteristics. The co-polymers Kershaw uses for knife handles generally have a slightly rubbery texture to improve grip security.



### G10

An epoxy-filled woven glass fiber; it is extremely stable, unaffected by temperature changes, and makes excellent handles and handle scales for knives.



### GLASS-FILLED NYLON

Nylon synthetic polymer is reinforced with glass threads for increased strength, stiffness, and dimensional stability, combined with excellent wear resistance.



### K-TEXTURE™ GRIP

An exclusive texture and pattern used on the handles of certain Kershaw knives. K-Texture™ enhances a secure grip.



### CANVAS MICARTA

A mixture of fiber cloth materials soaked in resin and hardened to create a strong, lightweight, and long-lasting handle. Kershaw micarta handles can be polished or feature a canvas-like texture in a variety of colors.



### STAINLESS STEEL

An alloy of iron and carbon, most steel also has additional elements that are alloyed to enhance specific characteristics. As a handle material, stainless steel is strong and attractive.



### TITANIUM

Titanium is a lightweight, corrosion-resistant metal with high tensile strength.



### TRAC-TEC INSERTS

A rough-surfaced rubber insert that provides additional friction for a non-slip grip.



## POCKETCLIPS

### SINGLE-POSITION

The pocketclip is mounted in a single, fixed position on the knife handle.



### REVERSIBLE

Right-handed, tip-up or tip-down  
OR  
Right- or left-handed, tip-up



### 3-POSITION

Right-handed, tip-up or tip-down  
AND  
Left-handed, tip-up



### 4-POSITION

Right-handed, tip-up or tip-down  
AND  
Left-handed, tip-up or tip-down



### DEEP-CARRY

This specially designed pocketclip is positioned at the very end of the handle so that the knife can be carried deeper inside the pocket.




### EXTRA-DEEP-CARRY

This wrap-around pocket clip design goes even deeper in the pocket, extending slightly beyond the length of the handle.



# KNIFE SIZES

ALPHABETICAL BY PRODUCT NAME




\*AVERAGE HUMAN HAND SIZE (ACCORDING TO NASA)  
MALE LENGTH 7.6 IN.  
FEMALE LENGTH 6.8 IN.  
BREADTH 3.5 IN.  
FEMALE BREADTH 3.1 IN.  
CIRCUMFERENCE 8.6 IN.  
FEMALE CIRCUMFERENCE 7.0 IN.

\*AVERAGE POCKET SIZE, FROM A 2018 STUDY OF 80 STYLES  
FROM 20 POPULAR BLUE JEAN BRANDS:

	WIDTH	HEIGHT
MALE	6.4 IN.	9.1 IN.
FEMALE	6 IN.	5.6 IN.
BACK	5.3 IN.	6.1 IN.

Series representative, not all variants shown



# INDEX

NUMERICAL BY PRODUCT NUMBER

MODEL	NAME	PHOTO	P.
1019	FIRE STARTER		70
1025	CINDER		54
1025CU	CINDER - COPPER		54
1075	DESCHUTES		61
1083	CAMP 5		57
1077	CAMP 10		61
1077TAN	CAMP 10 - TAN		61
1121	TASKMASTER SHEARS 2		73
1140	RATION		71
1140GRN	RATION - GREEN		71
1140OR	RATION - ORANGE		71
1140TEAL	RATION - TEAL		71
1145	RATION - XL		71
1145GRN	RATION XL - GREEN		71
1170	METHOD		47
1180	AFTEREFFECT		47
1190	KAPSULE		45
1195 NEW	INTERSTELLAR		39
1216	SKEETER III		71
1220	REVERB		44
1230	DIODE		51
1241	12-IN. CURVED		64
1242GE	9-IN. CURVED		64
1243SH	7-IN. BONING WITH SPOON		63
1247	7.5-IN. FILLET		63


1249	9.5-IN. FILLET		63
1257	7-IN. FILLET		63
1258	FOLDING FILLET		64
1259	9-IN. FILLET		63
1301BW	STARTER		18
1302BW	LIFTER		18
1306BW	FILTER		18
1313BLK	SPOKE		19
1319	GRINDER		19
1324	CATHODE		19
1365	MISDIRECT		19
1369 NEW	SALVAGE		17
1370	CAMSHAFT		17
1375	VALVE		19
1376 NEW	FLATBED		17
1385	AIRLOCK		18
1390	TREMOLO		17
1395	LIGHTYEAR		17
1396 NEW	ELECTRON		59
1397	INVERSE		59
1398	ARISE		59
1399 NEW	INTERVAL		59
1401 NEW	JETPACK		17
1555TI	CRYO		35
1555BW	CRYO - BLACKWASH™		35
1555G10	CRYO G10		35
1556TI	CRYO II		34
1556BW	CRYO II - BLACKWASH™		34
1557TI	FERRITE		35
1559	DECIMUS		35
1600	CHIVE		27
1600PINK	CHIVE - PINK		27
1605CKTST	CLASH - BLACK, SERRATED		36
1620	SCALLION		26
1620ST	SCALLION - SERRATED		26
1620NB	SCALLION - NAVY BLUE		27
1620OL	SCALLION - OLIVE DRAB		27
1620PUR	SCALLION - PURPLE		27
1660	LEEK		22
1660ST	LEEK - SERRATED		22
1660BLKW	LEEK - BLACKWASH™		23
1660CB	LEEK - COMPOSITE BLADE		23
1660CBBW	LEEK - COMPOSITE BLADE BLACKWASH™		23
1660CF	LEEK - CARBON FIBER		25
1660CKT	LEEK - BLACK		23
1660CKTST	LEEK - BLACK, SERRATED		23
1660CU	LEEK - COPPER		23
1660OL	LEEK - OLIVE DRAB		25
1660OR	LEEK - ORANGE		26
1660PUR	LEEK - PURPLE		26
1660R	LEEK - RANDOM		25
1660RBW	LEEK - RANDOM BLACKWASH™		25


1660SWBLK	LEEK - BLACK, STONEWASH		25
1660TEAL	LEEK - TEAL		26
1670BLK	BLUR - BLACK		21
1670BLKST	BLUR - BLACK, SERRATED		21
1670BW	BLUR - BLACKWASH™		21
1670GBBLKST	BLUR - GLASS BREAKER		22
1670NBSW	BLUR - NAVY BLUE STONEWASH		22
16700LBLK	BLUR - OLIVE/BLACK		22
1670S30V	BLUR - S30V STONEWASH		21
1670TBLKST	BLUR - TANTO BLADE, BLACK		22
1730SS	ZING - STAINLESS STEEL		37
1747BW	ION		57
17760LSW	LINK - OLIVE SW, CPM 20CV		21
18120LCB	DIVIDEND - OLIVE COMPOSITE BLADE		21
1830	OSO SWEET		36
1835TBLKST	KURO - SERRATED		31
1881	ERIS		32
1882 NEW	DESCHUTES CAPER		57
1883 NEW	DESCHUTES SKINNER		57
1891 NEW	LONEROCK RBK 2		61
1890RB	LONEROCK RBK BLADES		61
1920	SELECT FIRE		51
1935	FATBACK		32
1955	SHOWTIME		37
1987	RJ TACTICAL 3.0		36
1990	BRAWLER		31

2031 NEW	INCEPTION		40
2032 NEW	ESTEEM		40
2033 NEW	CARGO		39
2034 NEW	DEBRIS		39
2036 NEW	LUCID		29
2045	DECIBEL		45
2049 NEW	LITHIUM		29
2060 NEW	NOVENTA		39
2061	CANNONBALL		29
2062ST	ANALYST		29
2064 NEW	OUTLIER		29
2065	GRAVEL		30
2075	PAYOUT		30
2076	STRATA		44
2077	STRATA XL		44
2080	TERRAN		33
2085	BRACE		58
2090	PLATFORM		51
2095	ENDGAME		41
2200	GRID		31
2535	ULTRA-TEK SHARPENER		71
2556	TASKMASTER SAW 2		61
3410	CHILL		46
3425	XCOM		47
3445	STATIC		45
3455	BRACKET		30

3475	BOILERMAKER		36
3560	EMBER		33
3650	VOLT II		36
3650ST	VOLT II - SERRATED		36
3650CKTST	VOLT II - BLACK		37
3655	VOLT SS		37
3860	OBLIVION		33
3870	AMPLITUDE 2.5		37
3930	FLITCH		33
3935	FLOURISH		32
3960	BARSTOW		33
4007	SECRET AGENT		57
4008	DUNE		58
4037	ATMOS		46
4320 NEW	FEDERALIST		39
4381	GADSDEN		41
4382	BRANDYWINE		41
4383	CULPEPPER		41
4384 NEW	PARLEY		40
4385 NEW	ALLEGORY		40
4386 NEW	IREDALE		40
5050 NEW	MOONSAULT		43
5150	LUCHA		43
5150BW	LUCHA - BLACKWASH™		43
5150CF NEW	LUCHA - CF		43
5150TR	LUCHA - TRAINER		43

5500	COLLATERAL		30
5505	TURISMO		30
6030	COC-10K		48
6031D2	COC-11K D2		49
6034D2	COC-6K D2		48
6034T	COC-7K		48
6034TRAINER	E-TRAIN		48
6044TBLK	COC-8K		48
6054BRNBLK	COC-4K		47
6055D2	COC-4KXL D2		49
6074OLBLK	COC-5K		47
7006CU	NATRIX - COPPER XS		45
7007	NATRIX		45
7020	HIGHBALL XL		44
7100BW	LAUNCH 1		14
7150	LAUNCH 8		14
7125	LAUNCH 12		13
7250	LAUNCH 9		14

7350	LAUNCH 10		13
7500BLK	LAUNCH 4		15
7550	LAUNCH 11		13
7650	LAUNCH 13		13
7800BLK	LAUNCH 6		14
7850 NEW	LAUNCH 14		13
79000GRYBLK	LAUNCH 7		14
8100	FUNXION EMT		51
8300	DUOJET		31
8310	FRINGE		31
8320	OUTRIGHT		32
8320BLK	OUTRIGHT - BLACK		32
8650	BARRICADE		55
8655	DRIVETRAIN		51
8700	SHUFFLE		52
8700BLK	SHUFFLE - BLACK		52
8700LIMEBW	SHUFFLE - LIME		53
8700PURBW	SHUFFLE - PURPLE		54

8700TEALBW	SHUFFLE - TEAL		53
8710	ANTIC		54
8720	SHUFFLE - DIY		54
8750TBLKBW	SHUFFLE II - BLACK		52
8750TTANBW	SHUFFLE II - TAN		52
8750TOLBW	SHUFFLE II - OLIVE		52
8760	FAULTLINE		44
8800	PT-1		70
8810	PT-2		70
8820	DOWNFORCE		70
8830 NEW	RECAP		70
8825	NACHO		70
KEROIL	KERSHAW KNIFE OIL		70
KMCURE	MANICURE SET		71
KTOOL	K-TOOL		70
TXTOOL	TX-TOOL		71



Kai USA, Ltd., founded as Kershaw Knives in 1974, began with one mission: to design and manufacture tools that knife users would be proud to own, carry, and use. Today, premium materials, state-of-the-art manufacturing, extremely tight tolerances, and meticulous craftsmanship ensure that each Kershaw knife or tool provides a lifetime of performance and pride of ownership. The Kershaw brand is especially known for innovative technologies and materials, resulting in numerous industry awards. We manufacture many of our products in our 55,000 sq. ft. facility located south of Portland Oregon, in the city of Tualatin. Our campus houses a state-of-the-art manufacturing facility, our design, engineering, and manufacturing teams, as well as the customer service experts who sell and support our Kershaw brand knives and tools. Kershaw products are backed by a Limited Lifetime Warranty.

### **AUTHORIZED DEALERS**



Want to be sure the Kershaw you're carrying is the real thing? Buy from our Authorized Dealers. Specially selected by Kershaw for their ability to professionally represent and sell our products, Authorized Dealers carry genuine Kershaw quality products and service. You can be sure your purchase is fully covered under our Limited Lifetime Warranty. Find an Authorized Dealer in your area on our website: [kershawknives.com](http://kershawknives.com)

### **LIMITED LIFETIME WARRANTY**

 Kershaw knives from Kai USA Ltd. carry a limited warranty for the lifetime of the original owner, except when stated otherwise. We guarantee our knives against manufacturing defects in material and construction and to perform as advertised when properly used and maintained. The Limited Lifetime Warranty is non-transferable and does not extend to normal signs of wear, rust, damage, or breakage due to improper use, improper maintenance, accidents, loss, or theft. This warranty is void on products that have been modified in any way. Any product we determine to be defective will be repaired or replaced solely at our discretion. To receive warranty repair or replacement, the owner must send the product to be evaluated by Kai USA Warranty Services in our Tualatin, Oregon headquarters. In addition to the provisions of this warranty, the owner may also have other rights that can vary by state. The Limited Lifetime Warranty does not apply to the TX Tool, Fire Starter, or Kershaw Knife Oil. No other warranties are implied or expressed other than what is specifically stated here. Kai USA Ltd. reserves the right to determine what constitutes normal wear, improper use/maintenance, and modification.

We reserve the right to make changes to this warranty at our discretion and without notice.

For warranty information, shipping tips, and the Warranty/Repair Form required for warranty service, please visit our website: [kershawknives.com](http://kershawknives.com)

### **BLADE REPLACEMENT**

If you accidentally break your Kershaw folder's blade, we can replace it for just \$25. Blades that break due to a manufacturing defect will still be replaced under warranty, free of charge. For a replacement blade, knives must be shipping to Kai USA. Please see our website for shipping and warranty service information.

### **REPLACEMENT PARTS**

Some replacement parts can be shipped to you. Please see our website for an updated list of what we will ship for free.

### **VOUCHERS**

There may be cases when a Kershaw knife has been evaluated and is eligible for warranty service, but may not be able to be repaired or replaced. This can be true with discontinued models for which we may no longer have parts or stock. In such cases, at our discretion, we will issue a voucher for the original Manufacturer's Suggested

Retail Price. The voucher value can then be applied to the purchase of a current-model Kershaw—directly from us. If you also wish to have your original knife returned, please call our warranty team toll-free: 1-800-325-2891. We will retain the knife for 30 days from the date the voucher is issued. If it is not reclaimed by then, the knife will be recycled.

### **LIABILITY DISCLAIMER**

Kershaw knives are intended and sold for legitimate everyday carry and/or sporting purposes only. The purchase, use, and ownership of knives are subject to a wide variety of federal, state, and local laws and regulations. Always comply with all laws and regulations in effect in your area. Due to the complexity and constantly changing nature of these laws and regulations, it is the responsibility of the buyer to investigate and comply with the laws and regulations that apply in his or her specific area. You, and not Kai USA Ltd., are solely responsible for any claims resulting from violation of these laws and/or regulations.

### **WARNING!**

Knives are extremely sharp tools and should only be used or handled with the utmost care and caution. Any use other than cutting (such as prying or twisting) is considered misuse and abuse—and will void your warranty. Kershaw/Kai USA Ltd. is not responsible for any injuries resulting from misuse or abuse of the product.

Do not use any Kershaw knife as a throwing knife (other than the Ion 1747BW or Aethon 1748 throwing knives) or a stabbing device. Throwing knives and knives developed for stabbing have a distinctly different design and function. Kershaw knives are not intended for throwing or stabbing; they are designed for cutting purposes only.

We reserve the right to change shipping terms, specifications, materials, or discontinue products at any time, without notice.

Kershaw products are covered by one or more pending and issued U.S. patents: 4,715,121; 4,741,106; 5,802,722; 5,815,927; 6,006,385; 6,397,476; 6,388,431; 6,412,130; 6,145,202; 6,223,372; 6,338,431; 6,378,214; 6,397,476; 6,427,334; 6,591,504; 7,086,158; 7,370,421; 7,395,599; 9,120,234; D303,748; D316,802; D317,390; D321,818; D329,185; D348,818; D351,328; D365,725; D366,605; D375,243; D392,131; D410,833; D437,197; D438,085; D450,228; D454,043; D454,768; D455,062; D467,783; D474,669; D479,104; D479,114; D484,770; D488,045; D565,918; D566,222; D569,212; D570,180; D572,542; D572,562; D575,614; D576,466.

# ABOUT THE PROP 65 NOTIFICATION

You may have seen more Prop 65 warnings on our products lately.

First, understand that nothing has changed with the materials or manufacturing processes Kai USA uses to make our products.

The one thing that HAS changed are the notification requirements of Proposition 65.

Prop 65 is a 1986 California law that requires California residents to be notified of products that could expose them to chemicals known by the state of California to "cause cancer, birth defects or other reproductive harm." This law was recently expanded to apply to all retailers as well as those who sell products under a private label.

In fact, there are hundreds of chemicals on the California Prop 65 list—including things like nickel and chromium that have always been a part of knife steel. As a responsible manufacturer, we are including the warning as required by the law. Since we don't always know where our products are sold, this protects our company and our authorized retailers.

But again, nothing except the notification requirement has changed. Carrying and using our products is no more hazardous than before Prop 65. It will continue to be an important part of the tools you carry with you and use every day.

If you'd like more information, here are links to California government sites:

## About the Prop 65 warnings

## GENERAL: WARNING

This product can expose you to a chemical (or chemicals) that are known to the State of California to cause cancer or reproductive harm. For more information go to

[www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

## LEAD: WARNING

This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

## BENZENE: WARNING

This product can expose you to chemicals including benzene, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

## CARBON MONOXIDE: WARNING

This product can expose you to chemicals including carbon monoxide, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

## DEHP/BPA: WARNING

This product can expose you to chemicals including di(2-ethylhexyl)phthalate (DEHP), which is known to the State of California to cause cancer, and Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

## LIST OF ALL PRODUCTS THAT MAY CONTAIN THE ITEMS LISTED TO THE LEFT

SKU	CHEMICAL	SKU	CHEMICAL	SKU	CHEMICAL
1019X	CARBON MONOXIDE	2034	LEAD	70080LBLK	LEAD
1025X	LEAD	2035	LEAD	7010	LEAD
1025YL	LEAD	2036	LEAD	7010BLK	LEAD
1074	BENZENE	2045	LEAD	7020	LEAD
1075	LEAD	2049	LEAD	8100	LEAD
1077	BENZENE	2050	LEAD	8300	LEAD
1077TAN	BENZENE	2055	LEAD	8310	LEAD
1083	LEAD	2060	LEAD	8320	LEAD
1087	LEAD	2061	LEAD	8320BLK	LEAD
1160	LEAD	2064	LEAD	8650	LEAD
1170	LEAD	2065	LEAD	8655	LEAD
1180	LEAD	2070	LEAD	8700	LEAD
1190	LEAD	2075	LEAD	8710	LEAD
1195	LEAD	2076	LEAD	8720	LEAD
1216X	LEAD	2077	LEAD	8760	LEAD
1220	LEAD	2080	LEAD	8830	LEAD
1225	LEAD	2085	LEAD	43006	LEAD
1230X	LEAD	2090	LEAD	43007	LEAD
1241X	LEAD	2095	LEAD	43009	LEAD
1242GEX	LEAD	2131	LEAD	1308TANBW	LEAD
1243SHX	LEAD	2200	LEAD	1310	LEAD
1247X	LEAD	2555	BENZENE	1311TS	LEAD
1249X	LEAD	2556	BENZENE	1312BW	LEAD
1256GLA	LEAD	3410	LEAD	1313BLK	LEAD
1256STS	LEAD	3425	LEAD	1314BW	LEAD
1257X	LEAD	3425DW	LEAD	1315BW	LEAD
1258	LEAD	3430	LEAD	1551TIX	LEAD
1259	LEAD	3440	LEAD	1555BW	LEAD
1326	LEAD	3445	LEAD	1555G10	LEAD
1327	LEAD	3445CU	LEAD	1555G10D2	LEAD
1328	LEAD	3445BR	LEAD	1555TI	LEAD
1329	LEAD	3445G10	LEAD	1556	LEAD
1330	LEAD	3445BLU	LEAD	1556BW	LEAD
1332	LEAD	3445MCB	LEAD	1556TI	LEAD
1337	LEAD	3445MCBBW	LEAD	1557TI	LEAD
1340	LEAD	3445MCG	LEAD	1605CKTST	LEAD
1341	LEAD	3445MCGBW	LEAD	1605ST	LEAD
1343	LEAD	3455DTC	LEAD	1730BWH3	LEAD
1345	LEAD	3475	LEAD	1730SS	LEAD
1346	LEAD	3490	LEAD	1730SSST	LEAD
1348	LEAD	3560	LEAD	1730SSBLU	LEAD
1349	LEAD	3655	LEAD	1730SSBLK	LEAD
1351	LEAD	3840	LEAD	1731T	LEAD
1352	LEAD	3850	LEAD	1747BW	LEAD
1353	LEAD	3860	LEAD	1748	LEAD
1354	LEAD	3870	LEAD	18300DSW	LEAD
1355	LEAD	3920	LEAD	1835TBLKST	LEAD
1356	LEAD	3930	LEAD	2062ST	LEAD
1359	LEAD	3935	LEAD	3650	LEAD
1360	LEAD	3960	LEAD	3650CKTST	LEAD
1367	LEAD	4007	LEAD	3650GRYBLK	LEAD
1368	LEAD	4008	LEAD	3650ST	LEAD
1369	LEAD	4020	LEAD	4036BLK	LEAD
1371	LEAD	4020WOOD	LEAD	4036BLU	LEAD
1372	LEAD	4020MCB	LEAD	4038CF	LEAD
1375BLK	LEAD	4020MCG	LEAD	4038RD	LEAD
1376	LEAD	4037	LEAD	6031D2	LEAD
1380	LEAD	4038	LEAD	6034BLK	LEAD
1385OD	LEAD	4038BRZ	LEAD	6034D2	LEAD
1386	LEAD	4381	LEAD	6034T	LEAD
1401	LEAD	4381BJB	LEAD	6034TRAINER	LEAD
1446	LEAD	4381RB	LEAD	6044TBLK	LEAD
1558	LEAD	4382BJB	LEAD	6045BLK	LEAD
1559	LEAD	4382RB	LEAD	6054BRNBLK	LEAD
1605	LEAD	4383BJB	LEAD	6055D2	LEAD
1830	LEAD	4383RB	LEAD	60740LBLK	LEAD
1881	LEAD	4383S	LEAD	7006CU	LEAD
1882	LEAD	4383SCU	LEAD	7006BLK	LEAD
1883	LEAD	4383TCU	LEAD	7006RDBLK	LEAD
1891	LEAD	5500	LEAD	7007CF	LEAD
1920	LEAD	5505	LEAD	7007CU	LEAD
1935	LEAD	5510	LEAD	7008CU	LEAD
1955	LEAD	6030	LEAD	8700BLK	LEAD
1987	LEAD	7007	LEAD	8700LIMEBW	LEAD
1987ST	LEAD	7007OL	LEAD	8700NBSW	LEAD
1990	LEAD	7007OLBW	LEAD	8700PURBW	LEAD
2031	LEAD	7007GRYBW	LEAD	8700TEALBW	LEAD
2032	LEAD	7007BLKBW	LEAD	8750TBLKBW	LEAD
2033	LEAD	7007TANBW	LEAD	8750TOLBW	LEAD
				8750TTANBW	LEAD